

TECHNICAL DATA SHEET



Foopak Greaseproof with Hard size is using certified wood sources, with white shade and barrier coated board designed for food packaging with capabilities to resist oil penetration on direct contact with greasy food, from low to high greasy level. Performing with hard-sized board, this board prevents moisture penetration and is able to be stored in chiller and heated in the microwave. Foopak Greaseproof Board is ideal for bakeries, pastries, cake, pizza and any fried foods.



PRODUCT SPECIFICATION

GRAMMAGE T 410 om-02		THICKNESS ISO 534:2005 (E)		STIFFNESS 15° T 556 om-05			
(g/m ²)	(24" x 36" 500)lb	(μm)	(pt)	CD (gf.cm)	MD (gf.cm)	CD (mNm)	CD (mNm)
235 ± 5%	144 ± 5%	350 ± 4%	13.8 ± 4%	61	121	6.0	11.9
250 ± 5%	154 ± 5%	380 ± 4%	14.9 ± 4%	83	149	7.1	14.6
265 ± 5%	163 ± 5%	410 ± 4%	16.1 ± 4%	94	174	8.1	17.2
285 ± 5%	175 ± 5%	450 ± 4%	17.7 ± 4%	116	220	11.4	21.6
310 ± 5%	190 ± 5%	500 ± 4%	19.7 ± 4%	149	275	14.6	27.0
335 ± 5%	206 ± 5%	550 ± 4%	21.7 ± 4%	176	330	17.3	32.4
*) 365 ± 5%	*) 224 ± 5%	600 ± 4%	23.6 ± 4%	223	380	21.8	33.8

*) Available upon requested

Tolerance for stiffness 10%

PROPERTY	UNIT	METHOD	SIDE	VALUES
Moisture Content	%	T 412 om - 02		6.0 ± 1.0
Roughness	μm	T 555 om - 04	TOP	Max 1.80
Brightness D65/10°	%	ISO 2470-2:2008 (E)	TOP	90.0 ± 1.0
Gloss 75°	%	T 480 om-05	TOP	40.0 ± 5.0
Internal Bond Strength	J/m ²	T 569 pm-00		Min 120
Water Absorption COBB (60s)	g/m ²	T 441 om-04	TOP	35 - 55
Water Absorption COBB (180s)	g/m ²	T 441 om-04	TOP	Max 70

APPLICATION USES

- Kit 6, 8 : Chocolate, Cake, Bread, Take-Away Box
- Kit 10 : Frozen Cake, Frozen Bread, Food Tray, Take Away Box

COATING OPTIONS

- Available Kit 6, 8, 10
- Kit 6, 8 : Water base Glue
- Kit 10 : Special Acrylic & Hot melt Glue

RECOMMENDED PRINTING METHODS

- Offset lithographic
- Letterpress

OTHER FEATURE

- Minimum Moisture Evaporation, Very good dimensional stability Grease resistant (to Kit 10), Environment Friendly, EN 14338 microwave certifications

A good quality product by Serang Mill,



Does your paper have this?
Use 100% recycled paper to reduce your environmental footprint.
www.asiapulp.com

ask foopak @foopak

Rev.01

Issue Date : December 30, 2020

All parameters measured to 95% confidence interval



SCAN ME

Specification for reference only for update and further information please visit us at :
www.foopak.com | LinkedIn : foopak | Instagram : @foopak.id | Facebook : foopak | email : ask_foopak@app.co.id