



Report Number: JKTH22002134

Jul 20, 2022

Date:

Test Report

Applicant: PT Indah Kiat Pulp And Paper Tbk

JI Raya Serang Km 76 Kragilan

Serang Banten 42184

Attn: Fini Fitriani, Tohari Waluyo

Sample description:

One (1) group of submitted sample said to be:

Material Name **FOOPAK PE BOARD**

Country of Original Indonesia

Manufacturers Name PT Indah Kiat Pulp And Paper Tbk

Date sample received Jul 07, 2022

Testing period Jul 07, 2022 to Jul 20, 2022



Test conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

Tested sample Standard Result

Submitted sample Toxics in Packaging Clearinghouse Model Legislation - US TPCH Pass

- PFAS Content

Remark:

Test subcontracted to Intertek Vietnam

Prepared and checked by: For Intertek Indonesia



Made Widyani Operation Manager - Testing

IUS - CR.RH - 001

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Email: hlcoordinator.indonesia@intertek.com Website: www.intertek.com

Page 1 of 3



Test Report Number: JKTH22002134

Test Conducted:

Test Result Summary:

1. PFAS Content (Toxics in Packaging Clearinghouse – US TPCH)

Test method: By solvent extraction and followed by Liquid Chromatographic - Tandem Mass

Spectrometer (LC-MS/MS) analysis and Gas Chromatography Mass Spectrometry

(GC-MS) anlysis.

Tost Itom	Result (μg/m²)	<u>Limit</u>
<u>l est Item</u>	<u>(1)</u>	<u>(μg/m²)</u>
PFAS Content Δ	ND	ND

Remark:

 $\mu g/m^2$ = Microgram per square meter

Detection limit = $10 \mu g/m^2$ for No.7 to No.12 and No.57 to No.61; $1 \mu g/m^2$ for Others

ND = Not Detected

Δ = The reported value was calculated by summation of substances listed below

No.	Substances
1	Perfluorooctanoic acid (PFOA)
2	Sodium perfluorooctanoate (PFOA-Na)
3	Potassium perfluorooctanoate (PFOA-K)
4	Silver perfluorooctanoate (PFOA-Ag)
5	Perfluorooctanoyl fluoride (PFOA-F)
6	Ammonium pentadecafluorooctanoate (APFO)
7	2-Perfluorooctylethanol (8:2 FTOH)
8	1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)
9	Methyl perfluorooctanoate (Me-PFOA)
10	1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)
11	Ethyl perfluorooctanoate (Et-PFOA)
12	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)
13	Perfluoro-1-iodooctane (PFOI)
14	
15	
16	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)
17	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)
18	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)
19	
20	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonic acid (PFOS-DDA)
21	Perfluoro-1-octanesulfonyl fluoride (POSF)
22	Perfluorooctane sulfonamide (PFOSA)
23	N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)
24	N-Methylperfluoro-1-octanesulfonamide (N-Me-FOSA)
25	2-(N-Ethylperfluoro-1-octanesulfonamido)-ethanol (N-Et-FOSE)
26	2-(N-Methylperfluoro-1-octanesulfonamido)-ethanol (N-Me-FOSE)
27	Perfluoro-butanoic acid (PFBA)
28	Perfluoro-butane-sulfonicacid (PFBS)

IUS – CR.RH – 001 Page 2 of 3

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345 Hardline Laboratory:Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325 Email: hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH22002134

29 Pe 30 Pe 31 Pe 32 Pe 33 Pe 34 Pe	ubstances erfluoro-butane-sulfonicacid, K-salt (PFBS-K) erfluoro-pentanoic acid (PFPeA) erfluoro-hexanoic acid (PFHxA) erfluoro-hexane-sulfonic acid (PFHxS) erfluoro-hexane-sulfonic acid, Na-salt (PFHxS-Na) erfluoro-hexane-sulfonic acid, K-salt (PFHxS-K) erfluoro-heptanoic acid (PFHpA) erfluoro-heptane-sulfonate (PFHpS) erfluoro-heptane-sulfonate Na-salt (PFHpS-Na)
31 Pe 32 Pe 33 Pe 34 Pe	erfluoro-hexanoic acid (PFHxA) erfluoro-hexane-sulfonic acid (PFHxS) erfluoro-hexane-sulfonic acid, Na-salt (PFHxS-Na) erfluoro-hexane-sulfonic acid, K-salt (PFHxS-K) erfluoro-heptanoic acid (PFHpA) erfluoro-heptane-sulfonate (PFHpS)
32 Pe 33 Pe 34 Pe	erfluoro-hexane-sulfonic acid (PFHxS) erfluoro-hexane-sulfonic acid, Na-salt (PFHxS-Na) erfluoro-hexane-sulfonic acid, K-salt (PFHxS-K) erfluoro-heptanoic acid (PFHpA) erfluoro-heptane-sulfonate (PFHpS)
33 Pe 34 Pe	erfluoro-hexane-sulfonic acid, Na-salt (PFHxS-Na) erfluoro-hexane-sulfonic acid, K-salt (PFHxS-K) erfluoro-heptanoic acid (PFHpA) erfluoro-heptane-sulfonate (PFHpS)
34 Pe	erfluoro-hexane-sulfonic acid, K-salt (PFHxS-K) erfluoro-heptanoic acid (PFHpA) erfluoro-heptane-sulfonate (PFHpS)
	erfluoro-heptanoic acid (PFHpA) erfluoro-heptane-sulfonate (PFHpS)
35 Pe	erfluoro-heptane-sulfonate (PFHpS)
36 Pe	erfluoro-heptane-sulfonate Na-salt (PFHpS-Na)
37 Pe	
	erfluor-decane-sulfonic acid (PFDS)
39 Pe	erfluor-decane-sulfonic acid, Na-salt (PFDS-Na)
40 Pe	erfluor-decane-sulfonic acid, K-salt (PFDS-K)
41 Pe	erfluor-decane-sulfonic acid, Amonium-salt (PFDS-NH4)
42 Pe	erfluoro-nonanoic acid (PFNA)
43 Pe	erfluoro-nonanoic acid, Na-salt (PFNA-Na)
	mmonium perfluorononanoate (APFN)
	erfluoro-decanoic acid (PFDA)
	erfluoro-decanoic acid, Na-salt (PFDA-Na)
	erfluoro-decanoic acid, Amonium-salt (PFDA-NH4)
	erfluoro-undecanoic acid (PFUnA)
	erfluoro-dodecanoic acid (PFDoA)
	erfluoro-tridecanoic acid (PFTrDA)
	erfluoro-tetradecanoic acid (PFTeDA)
	erfluoro-3-7-dimethyl octane-carboxylate (PF-3,7 DMOA)
	H-Dodecafluoro heptane carboxylate (HPFHpA)
	H,2H-Perfluoro decan carboxylate (H2PFDA)
	H,2H,3H,3H-Perfluoro-undecanoicacid (4HPFUnA)
	H,1H,2H,2H-Perfluoro-octane-sulphonic acid (H ₄ PFOS 6:2)
	H,1H,2H,2H-Perfluorooctyl acrylate (6:2 FTA)
	H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA)
	H,1H,2H,2H-Perfluorohexanol (4:2 FTOH)
	H,1H,2H,2H-Perfluorooctanol (6:2 FTOH)
61 1H	H,1H,2H,2H-Perfluorododecanol (10:2 FTOH)

Tested component:

(1) White paper cardboard

Remark: As requested by the applicant, test was conducted on components listed in this report.

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for whichit is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms

IUS – CR.RH – 001 Page 3 of 3

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit: http://www.intertek.com/terms/

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345 Hardline Laboratory:Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325 Email: hlcoordinator.indonesia@intertek.com Website: www.intertek.com