

Test Report

Applicant : PT Indah Kiat Pulp And Paper Tbk
 Jl Raya Serang Km 76 Kragilan
 Serang Banten 42184

Date : Dec 30, 2022

Attn : Tohari Waluyo, Riesa S Patiwi

Sample description:

One (1) group of submitted sample said to be :

Material Name : FOOPAK BIO NATURA
 Country of Original : Indonesia
 Manufacturers Name : PT Indah Kiat Pulp And Paper Tbk
 Date sample received : Dec 12, 2022
 Testing period : Dec 12, 2022 to Dec 30, 2022



Test conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

Tested sample	Standard	Result
Submitted sample	Toxics in Packaging Clearinghouse Model Legislation – US TPCCH - PFAS Content	See test conduct

Remark:

Test subcontracted to Intertek Vietnam

Prepared and checked by:
 For Intertek Indonesia

Made Widyani
 Operation Manager - Testing



Test Report

Report Number: JKT22003845

Test Conducted:

Test Result Summary:

PFAS Content (Toxics in Packaging Clearinghouse – US TPCH)

Test method: By solvent extraction and followed by Liquid Chromatographic - Tandem Mass Spectrometer (LC-MS/MS) analysis and Gas Chromatography Mass Spectrometry (GC-MS) analysis.

No.	Substances	CAS No	Result (µg/m ²)	Limit (µg/m ²)
1	Perfluorooctanoic acid (PFOA)	335-67-1	ND	ND
2	Sodium perfluorooctanoate (PFOA-Na)	335-95-5	ND	ND
3	Potassium perfluorooctanoate (PFOA-K)	2395-00-8	ND	ND
4	Silver perfluorooctanoate (PFOA-Ag)	335-93-3	ND	ND
5	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0	ND	ND
6	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	ND	ND
7	2-Perfluorooctylethanol (8:2 FTOH)	678-39-7	ND	ND
8	1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9	ND	ND
9	Methyl perfluorooctanoate (Me-PFOA)	376-27-2	ND	ND
10	1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)	1996-88-9	ND	ND
11	Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5	ND	ND
12	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	ND	ND
13	Perfluoro-1-iodooctane (PFOI)	507-63-1	ND	ND
14	Perfluorooctanesulfonic acid (PFOS)	1763-23-1	ND	ND
15	Perfluorooctanesulfonic acid, potassium salt (PFOS-K)	2795-39-3	ND	ND
16	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5	ND	ND
17	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9	ND	ND
18	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8	ND	ND
19	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)	56773-42-3	ND	ND
20	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluoro-1-octanesulfonic acid (PFOS-DDA)	251099-16-8	ND	ND
21	Perfluoro-1-octanesulfonyl fluoride (POSF)	307-35-7	ND	ND
22	Perfluorooctane sulfonamide (PFOSA)	754-91-6	ND	ND
23	N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	4151-50-2	ND	ND
24	N-Methylperfluoro-1-octanesulfonamide (N-Me-FOSA)	31506-32-8	ND	ND

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKT22003845

No.	Substances	CAS No	Result ($\mu\text{g}/\text{m}^2$)	Limit ($\mu\text{g}/\text{m}^2$)
25	2-(N-Ethylperfluoro-1-octanesulfonamido)-ethanol (N-Et-FOSE)	1691-99-2	ND	ND
26	2-(N-Methylperfluoro-1-octanesulfonamido)-ethanol (N-Me-FOSE)	24448-09-7	ND	ND
27	Perfluoro-butanoic acid (PFBA)	375-22-4	ND	ND
28	Perfluoro-butane-sulfonic acid (PFBS)	375-73-5	ND	ND
29	Perfluoro-butane-sulfonic acid, K-salt (PFBS-K)	29420-49-3	ND	ND
30	Perfluoro-pentanoic acid (PFPeA)	2706-90-3	ND	ND
31	Perfluoro-hexanoic acid (PFHxA)	307-24-4	ND	ND
32	Perfluoro-hexane-sulfonic acid (PFHxS)	355-46-4	ND	ND
33	Perfluoro-hexane-sulfonic acid, Na-salt (PFHxS-Na)	82382-12-5	ND	ND
34	Perfluoro-hexane-sulfonic acid, K-salt (PFHxS-K)	3871-99-6	ND	ND
35	Perfluoro-heptanoic acid (PFHpA)	375-85-9	ND	ND
36	Perfluoro-heptane-sulfonate (PFHpS)	375-92-8	ND	ND
37	Perfluoro-heptane-sulfonate Na-salt (PFHpS-Na)	68555-66-8	ND	ND
38	Perfluoro-decane-sulfonic acid (PFDS)	335-77-3, 126105-34-8	ND	ND
39	Perfluoro-decane-sulfonic acid, Na-salt (PFDS-Na)	2806-15-7	ND	ND
40	Perfluoro-decane-sulfonic acid, K-salt (PFDS-K)	2806-16-8	ND	ND
41	Perfluoro-decane-sulfonic acid, Amonium- salt (PFDS-NH ₄)	67906-42-7	ND	ND
42	Perfluoro-nonanoic acid (PFNA)	375-95-1	ND	ND
43	Perfluoro-nonanoic acid, Na-salt (PFNA- Na)	21049-30-8	ND	ND
44	Ammonium perfluorononanoate (APFN)	4149-60-4	ND	ND
45	Perfluoro-decanoic acid (PFDA)	335-76-2	ND	ND
46	Perfluoro-decanoic acid, Na-salt (PFDA- Na)	3830-45-3	ND	ND
47	Perfluoro-decanoic acid, Amonium-salt (PFDA-NH ₄)	3108-42-7	ND	ND
48	Perfluoro-undecanoic acid (PFUnA)	2058-94-8	ND	ND
49	Perfluoro-dodecanoic acid (PFDoA)	307-55-1	ND	ND
50	Perfluoro-tridecanoic acid (PFTrDA)	72629-94-8	ND	ND

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKT22003845

No.	Substances	CAS No	Result ($\mu\text{g}/\text{m}^2$)	Limit ($\mu\text{g}/\text{m}^2$)
51	Perfluoro-tetradecanoic acid (PFTeDA)	376-06-7	ND	ND
52	Perfluoro-3-7-dimethyl octane-carboxylate (PF-3,7 DMOA)	172155-07-6	ND	ND
53	7H-Dodecafluoro heptane carboxylate (HPFHpA)	1546-95-8	ND	ND
54	2H,2H-Perfluoro decan carboxylate (H2PFDA)	882489-14-7	ND	ND
55	2H,2H,3H-Perfluoro-undecanoic acid (4HPFUnA)	34598-33-9	ND	ND
56	1H,1H,2H,2H-Perfluoro-octane-sulphonic acid (H4PFOS 6:2)	27619-97-2	ND	ND
57	1H,1H,2H,2H-Perfluorooctyl acrylate (6:2 FTA)	27527-29-6	ND	ND
58	1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA)	17741-60-5	ND	ND
59	1H,1H,2H,2H-Perfluorohexanol (4:2 FTOH)	2043-47-2	ND	ND
60	1H,1H,2H,2H-Perfluorooctanol (6:2 FTOH)	647-42-7	ND	ND
61	1H,1H,2H,2H-Perfluorododecanol (10:2 FTOH)	865-86-1	ND	ND
62	Fluorotelomer sulfonate (H4PFHxS)	757124-72-4	ND	

Remark:

mg/kg = ppm

Detection limit = $10 \mu\text{g}/\text{m}^2$ for No.7 to No.12 and No.57 to No.62; $1 \mu\text{g}/\text{m}^2$ for Others

ND = Not Detected

Tested component:

(1) FOOPAK BIO NATURA / DELIPAC (FOOD OVEN CUP)

Remark: As requested by the applicant, test was conducted on components listed in this report.

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com