



Test Report

Applicant : PT Indah Kiat Pulp And Paper Tbk

Date : Jul 11, 2024


JI Raya Serang Km 76 Kragilan
Serang Banten 42184

Attn : Fini Fitriani, Tohari Waluyo

Sample description:

One (1) group of submitted sample said to be :

Material Name : **FOOPAK NATURA CUP**
 Country of Original : Indonesia
 Manufacturers Name : PT Indah Kiat Pulp And Paper Tbk
 Date sample received : Jun 25, 2024
 Testing period : Jun 25, 2024 to Jul 11, 2024



Test conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

<u>Tested sample</u>	<u>Test Item</u>	<u>Result</u>
Submitted sample	Selective PFAS content	See test conducted

Remark:

Test subcontracted to Intertek China

^{FN}
Prepared and checked by:
For Intertek Indonesia

Made Widyani
Operation Manager - Testing



Test Report

Report Number: JKTH24002160

Test Conducted:

PFAS Content

By solvent extraction and followed by Liquid Chromatographic / Tandem Mass Spectrometer (LC/MS/MS) analysis and/or Gas Chromatography Mass Spectrometry (GC-MS) analysis.

<u>Test Item</u>	Result (mg/kg) Tested Component
	(1)
PFAS Content Δ	ND

ND = Not detected (less than detection limit)

Δ = The reported value was calculated by summation of substances listed below:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
1	Perfluorobutanoic acid (PFBA)	375-22-4	0.01
2	Ammonium perfluorobutanoate*	10495-86-0	0.01
3	Sodium perfluorobutanoate*	2218-54-4	0.01
4	Potassium heptafluorobutanoate*	2966-54-3	0.01
5	Silver perfluorobutanoate*	3794-64-7	0.01
6	Lithium perfluorobutanoate*	4146-76-3	0.01
7	Perfluoropentanoic acid (PFPeA)	2706-90-3	0.01
8	Sodium perfluoropentanoate*	2706-89-0	0.01
9	Potassium perfluoropentanoate*	336-23-2	0.01
10	Lithium perfluoropentanoate*	198482-22-3	0.01
11	Ammonium perfluoropentanoate*	68259-11-0	0.01
12	Silver perfluoropentanoate*	2795-30-4	0.01
13	Perfluorohexanoic acid (PFHxA)	307-24-4	0.01
14	Ammonium perfluorohexanoate (PFHxA-NH ₄) [*]	21615-47-4	0.01
15	Sodium perfluorohexanoate*	2923-26-4	0.01
16	Potassium perfluorohexanoate*	3109-94-2	0.01
17	Silver perfluorohexanoate*	336-02-7	0.01
18	Lithium perfluorohexanoate*	90430-61-8	0.01
19	Perfluoroheptanoic acid (PFHpA)	375-85-9	0.01
20	Sodium perfluoroheptanoate*	20109-59-5	0.01
21	Potassium perfluoroheptanoate*	21049-36-5	0.01
22	Ammonium perfluoroheptanoate*	6130-43-4	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
23	Cesium 2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptanoate*	171198-24-6	0.01
24	Silver;2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptanoate*	424-05-5	0.01
25	Lithium perfluoroheptanoate*	60871-90-1	0.01
26	Perfluorooctanoic acid (PFOA)	335-67-1	0.01
27	Perfluorooctanoyl fluoride (PFOA-F)*	335-66-0	0.01
28	Silver perfluorooctanoate (PFOA-Ag)*	335-93-3	0.01
29	Sodium perfluorooctanoate (PFOA-Na)*	335-95-5	0.01
30	Potassium perfluorooctanoate (PFOA-K)*	2395-00-8	0.01
31	Ammonium pentadecafluorooctanoate (APFO)*	3825-26-1	0.01
32	Pentadecafluorooctanoic acid--piperazine (2/1)*	423-52-9	0.01
33	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+)*	68141-02-6	0.01
34	N,N,N-Triethylethanaminium perfluorooctanoate*	98241-25-9	0.01
35	Perfluorooctanoyl Chloride*	335-64-8	0.01
36	Lithium perfluorooctanoate*	17125-58-5	0.01
37	Cobalt perfluorooctanoate*	35965-01-6	0.01
38	Cesium perfluorooctanoate*	17125-60-9	0.01
39	Perfluorooctanoate N,N,N-Trimethylmethanaminium*	32609-65-7	0.01
40	Tetrapropylammonium perfluorooctanoate*	277749-00-5	0.01
41	Perfluorononanoic acid (PFNA)	375-95-1	0.01
42	Perfluorononanoate ammonium salt (APFN)*	4149-60-4	0.01
43	Perfluorononanoate Na-Salt (PFNA-Na)*	21049-39-8	0.01
44	Potassium perfluorononanoate (PFNA-K)*	21049-38-7	0.01
45	Lithium heptadecafluorononanoate*	60871-92-3	0.01
46	Cyclohexanaminium perfluorononanoate*	328531-06-2	0.01
47	Silver perfluorononanoate*	7358-16-9	0.01
48	Piperidinium perfluorononanoate*	95682-66-9	0.01
49	Methanaminium perfluorononanoate*	77032-23-6	0.01
50	Perfluorodecanoic acid (PFDA)	335-76-2	0.01
51	Perfluorodecanoate ammonium salt (APFDA)*	3108-42-7	0.01
52	Perfluorodecanoate Na-salt (PFDA-Na)*	3830-45-3	0.01
53	Potassium perfluorodecanoate*	51604-85-4	0.01
54	Lithium perfluorodecanoate*	84743-32-8	0.01
55	Silver perfluorodecanoate*	5784-82-7	0.01
56	Perfluoroundecanoic acid (PFUdA)	2058-94-8	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
57	Perfluoroundecanoic acidsodium salt*	60871-96-7	0.01
58	Ammonium perfluoroundecanoate*	4234-23-5	0.01
59	Potassium perfluoroundecanoate*	30377-53-8	0.01
60	Calcium perfluoroundecanoate*	97163-17-2	0.01
61	Perfluorododecanoic acid (PFDoA)	307-55-1	0.01
62	Ammonium Perfluorododecanoate*	3793-74-6	0.01
63	Sodium perfluorododecanoate*	60872-01-7	0.01
64	Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.01
65	Ammonium perfluorotridecanoate*	4288-72-6	0.01
66	Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.01
67	Perfluorobutanesulfonic acid (L-PFBS)	375-73-5	0.01
68	Perfluorobutansulfonyl fluoride*	375-72-4	0.01
69	N,N,N-triethylethanaminium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulfonate(PFBS-N(C ₂ H ₅) ₃)*	25628-08-4	0.01
70	Perfluorobutanesulfonate K-salt (PFBS-K)*	29420-49-3	0.01
71	1-Butanesulfonic acid,1,1,2,2,3,3,4,4,4-nonafluoro-,sodium salt (1:1)*	60453-92-1	0.01
72	Lithium perfluorobutanesulfonate*	131651-65-5	0.01
73	Nonafluorobutanesulfonic Acid Hydrate (PFBS-H ₂ O)*	59933-66-3	0.01
74	Triphenylsulfonium Perfluorobutane Sulfonate*	144317-44-2	0.01
75	Dimethyl(phenyl)sulfanium perfluorobutanesulfonate*	220133-51-7	0.01
76	Tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate*	220689-12-3	0.01
77	Morpholinium perfluorobutanesulfonate*	503155-89-3	0.01
78	Magnesium perfluorobutanesulfonate*	507453-86-3	0.01
79	Tetramethylammonium perfluorobutane sulfonate*	25628-17-5	0.01
80	Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate*	68259-10-9	0.01
81	Perfluorobutanesulfonic Anhydride*	36913-91-4	0.01
82	Perfluorobutanesulfonate*	45187-15-3	0.01
83	N,N,N-Tripropylpentan-1-aminium nonafluorobutane-1-sulfonate*	56773-55-8	0.01
84	Bis(2-hydroxyethyl)ammonium perfluorobutanesulfonate*	70225-18-2	0.01
85	Tetrabutylammonium perfluoro-1-butanesulfonate*	108427-52-7	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
86	N,N-Dibutyl-N-methylbutan-1-aminium nonafluorobutane-1-sulfonate*	124472-66-8	0.01
87	1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate*	--	0.01
88	1,1,2,2,3,3,4,4,4-Nonafluorobutane-1-sulfonylchloride*	2991-84-6	0.01
89	bis(4- <i>t</i> -butylphenyl)iodonium perfluorobutanesulfonate*	194999-85-4	0.01
90	Triethylammonium perfluorobutane sulfonate*	182059-38-7	0.01
91	Diphenyliodonium nonafluorobutane-1-sulfonate*	194999-82-1	0.01
92	1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate*	209482-18-8	0.01
93	Tris(4- <i>tert</i> -butylphenyl)sulfonium perfluorobutanesulfonate*	241806-75-7	0.01
94	N-(2-Hydroxyethyl)-N,N-dimethyl-1-octanaminium perfluoro-1-butanesulfonate (1:1)*	334529-55-4	0.01
95	1-Hexadecylpyridinium perfluoro-1-butanesulfonate*	334529-62-3	0.01
96	1-Butylpyridinium perfluoro-1-butanesulfonate*	334529-64-5	0.01
97	N,N-Dimethyl-N-(propan-2-yl)propan-2-aminium nonafluorobutane-1-sulfonate*	374571-81-0	0.01
98	(4-Cyclohexylphenyl)(diphenyl)sulfanium nonafluorobutane-1-sulfonate*	425670-64-0	0.01
99	N-Methyl-N,N-dioctyl-1-octanaminium perfluoro-1-butanesulfonate*	495417-51-1	0.01
100	Zinc bis(nonafluoro-1-butanesulfonate)*	502457-69-4	0.01
101	Sulfonium, tris(4-methylphenyl)-, salt with perfluoro-1-butanesulfonic acid (1:1)*	722538-68-3	0.01
102	[4-(2- <i>tert</i> -Butoxy-2-oxoethoxy)phenyl](diphenyl)sulfanium nonafluorobutane-1-sulfonate*	857285-80-4	0.01
103	1-(1-Methyl-1H-indol-3-yl)thiolan-1-ium nonafluorobutane-1-sulfonate*	867373-18-0	0.01
104	1-Methyl-3-octyl-1H-imidazolium perfluorobutanesulfonate*	905972-83-0	0.01
105	3-Hexyl-1-methyl-1H-imidazolium perfluorobutanesulfonate*	1001557-05-6	0.01
106	1-Ethyl-3-methylpyridin-1-ium nonafluorobutane-1-sulfonate*	1015420-87-7	0.01
107	Perfluorohexanesulfonic acid (L-PFHxS)	355-46-4	0.01
108	Perfluorohexylsulfonate*	108427-53-8	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
109	Perfluorohexanesulfonate Na-salt (PFHxS-Na) *	82382-12-5	0.01
110	Potassium Perfluorohexylsulfonate PFHxS-K *	3871-99-6	0.01
111	Lithium Perfluorohexylsulfonate PFHxS-Li*	55120-77-9	0.01
112	Ammonium Perfluorohexylsulfonate PFHxS-NH4*	68259-08-5	0.01
113	Phosphonium,triphenyl(phenylmethyl)-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1000597-52-3	0.01
114	N,N,N-tributylbutan-1-aminium tridecafluorohexane-1-sulfonate*	108427-54-9	0.01
115	N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate*	108427-55-0	0.01
116	1-Hexanesulfonic acid,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. Withpyrrolidine (1:1)*	1187817-57-7	0.01
117	Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1310480-24-0	0.01
118	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1310480-27-3	0.01
119	Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1310480-28-4	0.01
120	Beta-Cyclodextrin, compd.with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonicacid ion(1-)(1:1)*	1329995-45-0	0.01
121	Gamma-Cyclodextrin, compd.with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonicacid ion(1-)(1:1)*	1329995-69-8	0.01
122	Sulfonium, triphenyl-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	144116-10-9	0.01
123	Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b hexahydrocyclopent[b]indol-7-yl]ethenyl]-,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	1462414-59-0	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
124	Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	153443-35-7	0.01
125	Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)*	189274-31-5	0.01
126	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with 2-methyl-2-propanamine (1:1)*	202189-84-2	0.01
127	Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	213740-81-9	0.01
128	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt(9Cl)*	341035-71-0	0.01
129	Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	341548-85-4	0.01
130	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1)*	350836-93-0	0.01
131	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1)*	41184-65-0	0.01
132	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt(3:1)*	41242-12-0	0.01
133	Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2)*	421555-73-9	0.01
134	Iodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic*	421555-74-0	0.01
135	Perfluorohexane sulphonyl fluoride*	423-50-7	0.01
136	Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	425670-70-8	0.01
137	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, zinc salt*	70136-72-0	0.01
138	Tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1)*	70225-16-0	0.01
139	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With N,N-diethylethanamine (1:1)*	72033-41-1	0.01
140	Iodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) (9Cl)*	866621-50-3	0.01
141	Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	910606-39-2	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
142	Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	911027-68-4	0.01
143	Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 ^{3,7}]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 ^{3,7}]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate*	911027-69-5	0.01
144	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt(1:1) (PFHxS-Cs)*	92011-17-1	0.01
145	Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)*	928049-42-7	0.01
146	Tetrabutylphosphonium perfluorohexane sulfonate*	2310194-12-6	0.01
147	Perfluoroheptanesulfonic acid (L-PFHpS)	375-92-8	0.01
148	Perfluoroheptanesulfonyl Fluoride*	335-71-7	0.01
149	Potassium Perfluoroheptanesulfonate (PFHpS-K)*	60270-55-5	0.01
150	Perfluoroheptanesulfonate Na-salt (PFHpS-Na)*	21934-50-9	0.01
151	Ammonium perfluoroheptanesulfonate*	68259-07-4	0.01
152	Lithium perfluoroheptanesulfonate*	117806-54-9	0.01
153	Bis(2-hydroxyethyl)ammonium perfluoroheptanesulfonate*	70225-15-9	0.01
154	Triethylammonium perfluoroheptane sulfonate*	72033-40-0	0.01
155	Perfluoroheptanesulfonate*	146689-46-5	0.01
156	Tetraethylammonium perfluoroheptane sulfonate*	439863-97-5	0.01
157	Perfluorooctanesulfonic acid (L-PFOS)	1763-23-1	0.01
158	Perfluorooctane Sulfonyl fluoride (POSF)*	307-35-7	0.01
159	Heptadecafluoro-1-Octanesulfonyl Chloride*	423-60-9	0.01
160	Potassium Perfluorooctanesulfonate (PFOS-K)*	2795-39-3	0.01
161	Sodium Perfluorooctanesulfonate (PFOS-Na)*	4021-47-0	0.01
162	Perfluorooctanesulfonic acid, ammonium salt(PFOS-NH ₄)*	29081-56-9	0.01
164	Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)*	91036-71-4	0.01
165	Perfluorooctanesulfonate*	45298-90-6	0.01
166	Triethylammonium perfluorooctane sulfonate*	54439-46-2	0.01
167	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)*	56773-42-3	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
168	Perfluorooctane sulfonate diethanolamine salt (PFOS NH(CH ₂ CH ₂ OH) ₂)*	70225-14-8	0.01
169	Tetramethylammonium perfluorooctane sulfonate*	56773-44-5	0.01
170	N,N,N-Tripropylpentan-1-aminium heptadecafluorooctane-1-sulfonate*	56773-56-9	0.01
171	N-decyl-N,N-dimethyldecane-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)*	251099-16-8	0.01
172	N,N-Dibutyl-N-methylbutan-1-aminium heptadecafluorooctane-1-sulfonate*	124472-68-0	0.01
173	Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, salt with perfluoro-1-octanesulfonic acid (1:1)*	213740-80-8	0.01
174	Diphenyl(2,4,6-trimethylphenyl)sulfonium perfluoro-1-octanesulfonate*	258341-99-0	0.01
175	1-Hexadecylpyridinium perfluoro-1-octanesulfonate*	334529-63-4	0.01
176	N,N,N-Triethyldecane-1-aminium heptadecafluorooctane-1-sulfonate*	773895-92-4	0.01
177	Tetrabutylphosphonium perfluorooctane sulfonate*	2185049-59-4	0.01
178	Piperidinium perfluorooctanesulfonate*	71463-74-6	0.01
179	Tetrabutylammonium perfluorooctanesulfonate*	111873-33-7	0.01
180	Perfluorodecanesulfonic acid (L-PFDS)	335-77-3	0.01
181	Perfluorodecanesulphonyl Fluoride*	307-51-7	0.01
182	Perfluorodecanesulfonate Na-salt (PFDS-Na) *	2806-15-7	0.01
183	Perfluorodecanesulfonate K-salt (PFDS-K) *	2806-16-8	0.01
184	Perfluorodecane sulfonate salt of NH ₄ (PFDS-NH ₄)*	67906-42-7	0.01
185	Perfluorodecanesulfonate*	126105-34-8	0.01
186	Perfluorooctanesulfonamide (PFOSA)	754-91-6	0.01
187	Perfluorooctanesulfonamide lithium salt (1:1)*	76752-79-9	0.01
188	N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA)	31506-32-8	0.01
189	N-Ethyl-Perfluorooctanesulfonamide (N-Et-FOSA)	4151-50-2	0.01
190	N-Methyl-Perfluorooctanesulfonamidoethanol(N-Me-FOSE alcohol)	24448-09-7	0.01
191	N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol)	1691-99-2	0.01
192	1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	27619-97-2	0.01
193	6:2 Fluorotelomer sulfonate sodium salt*	27619-94-9	0.01
194	6:2 Fluorotelomer sulfonate potassium salt*	59587-38-1	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
195	2H,2H,3H,3H-Perfluoroundecanoic acid (4HPFUnA)	34598-33-9	0.01
196	Potassium 2H,2H,3H,3H-Perfluoroundecanoate*	83310-58-1	0.01
197	Perfluoro-3-7-dimethyl octane carboxylate (PF-3,7-DMOA)	172155-07-6	0.01
198	7H-Dodecafluoro heptane carboxylate (HPFHpA)	1546-95-8	0.01
199	Ammonium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate*	376-34-1	0.01
200	Sodium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate*	2264-25-7	0.01
201	2H,2H-Perfluoro decane carboxylate (H2PFDA)	27854-31-5	0.01
202	Tetrabutylphosphonium 2H,2H-Perfluorodecanoate*	882489-14-7	0.01
203	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	0.01
204	8:2 Fluorotelomer sulfonate sodium salt*	27619-96-1	0.01
205	1H,1H,2H,2H-Perfluorododecanesulfonic acid (10:2 FTS)	120226-60-0	0.01
206	1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2FTS)	757124-72-4	0.01
207	4:2 Fluorotelomer sulfonate sodium salt*	27619-93-8	0.01
208	N-(Perfluoro-1-octanesulfonyl) Glycine	2806-24-8	0.01
209	N-Methylperfluoro-1-octanesulfonamidoacetic Acid	2355-31-9	0.01
210	N-Ethyl-N-(perfluoro-1-octanesulfonyl) Glycine	2991-50-6	0.01
211	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid	13252-13-6	0.01
212	Ammonium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propanoate (HFPO-DA-NH)*	62037-80-3	0.01
213	Potassium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propanoate (HFPO-DA-K)*	67118-55-2	0.01
214	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionyl fluoride (HFPO-DA-F)*	2062-98-8	0.01
215	Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (+)-*	75579-39-4	0.01
216	Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (-)-*	75579-40-7	0.01
217	Sodium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate*	67963-75-1	0.01
218	Perfluoro(2-propoxypropanoate)*	122499-17-6	0.01
219	2,3,3,3-Tetrafluoro-2-(heptafluoropropoxy)propanoic acid--N-propylpropan-1-amine (1/1)*	165951-17-7	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
220	Triethylammonium perfluoro-2-propoxypropanoate*	165951-18-8	0.01
221	4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate*	298703-31-8	0.01
222	bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10 heptafluorodecyl) phosphate (8:2diPAP)	678-41-1	0.01
223	Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate*	114519-85-6	0.01
224	Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate*	57677-97-1	0.01
225	Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt*	93776-20-6	0.01
226	8:2 Fluorotelomer phosphate diester ion (1-)*	1411713-91-1	0.01
227	Perfluorooctadecanoic Acid (PFODA)	16517-11-6	0.01
228	Perfluorohexadecanoic Acid (PFHxDA)	67905-19-5	0.01
229	Perfluoroheptane-1-sulfinic acid	769067-51-8	0.01
230	Perfluoroheptanesulfinate Na-salt*	68555-66-8	0.01
231	Perfluorononanesulfonic acid (PFNS)	68259-12-1	0.01
232	Sodium perfluoro-1-nonanesulfonate*	98789-57-2	0.01
233	Ammonium nonadecafluorononanesulphonate*	17202-41-4	0.01
234	Perfluorononanesulfonate potassium*	29359-39-5	0.01
235	Nonadecafluorononanesulfonyl Fluoride*	68259-06-3	0.01
236	Perfluorononanesulfonate*	474511-07-4	0.01
237	Perfluorododecanesulfonic acid (PFDoDS)	79780-39-5	0.01
238	Potassium perfluorododecanesulfonate*	85187-17-3	0.01
239	Perfluorododecanesulfonate*	343629-43-6	0.01
240	Sodium perfluoro-1-dodecanesulfonate*	1260224-54-1	0.01
241	3-Perfluoropentyl propanoic acid (5:3 FTCA)	914637-49-3	0.01
242	Mono[2-(perfluorohexyl)ethyl] phosphate	57678-01-0	0.01
243	Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate*	2353-52-8	0.01
244	2-(Perfluorohexyl)ethanol dihydrogen phosphate bis(2-hydroxyethyl)amine*	57678-02-1	0.01
245	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt*	92401-44-0	0.01
246	Sodium 1H,1H,2H,2H-perfluorooctylphosphate*	144965-22-0	0.01
247	Monopotassium monoperfluorohexyl ethylphosphate*	150033-28-6	0.01
248	Diammonium 6:2 fluorotelomer phosphate monoester*	1000852-37-8	0.01
249	Bis[2-(perfluorohexyl)ethyl]phosphate	57677-95-9	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
250	Ammonium bis[2-(perfluorohexyl)ethyl] phosphate*	1764-95-0	0.01
251	Sodium bis[2-(perfluorohexyl)ethyl] phosphate*	407582-79-0	0.01
252	Bis(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphate ion(1-)*	667465-18-1	0.01
253	Perfluorooctylphosphonic acid	40143-78-0	0.01
254	(Heptadecafluorooctyl)phosphonic acid--4-methylaniline (1/1)*	1263361-03-0	0.01
255	4,8-Dioxa-3H-perfluorononanoic acid (DONA)	919005-14-4	0.01
256	Sodium 4,8-dioxa-3H-perfluorononanoate*	2250081-67-3	0.01
257	Ammonium 4,8-dioxa-3H-perfluorononanoate*	958445-44-8	0.01
258	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	0.01
259	Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate*	73606-19-6	0.01
260	Ammonium perfluoro-2-[(6-chlorohexyl)oxy]ethane-1-sulfonate*	1383434-28-3	0.01
261	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	763051-92-9	0.01
262	Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate*	83329-89-9	0.01
263	N-Methyl-Perfluorohexanesulfamide (N-Me-FHxSA)	68259-15-4	0.01
264	Perfluorohexane sulfonamide (PFHxSA)	41997-13-1	0.01
265	Perfluoropentadecanoic acid (PFPeDA)	141074-63-7	0.01
266	Perfluoropentanesulfonic acid (PFPeS)	2706-91-4	0.01
267	Sodium perfluoropentanesulfonate*	630402-22-1	0.01
268	Potassium perfluoropentanesulfonate*	3872-25-1	0.01
269	Bis(2-hydroxyethyl)ammonium perfluoropentanesulfonate*	70225-17-1	0.01
270	Ammonium perfluoropentanesulfonate*	68259-09-6	0.01
271	Triethylammonium perfluoropentane sulfonate*	72033-42-2	0.01
272	Perfluoropentanesulfonate*	175905-36-9	0.01
273	Lithium perfluoropentane sulfonate*	1046864-81-6	0.01
274	Perfluoroundecane sulfonic acid(PFUnDS)	749786-16-1	0.01
275	Perfluorotridecane sulfonic acid(PFTrDS)	791563-89-8	0.01
276	Sodium Perfluorotridecanesulfonate*	174675-49-1	0.01
277	2-Perfluorohexyl ethanoic acid(6:2 FTCA)	53826-12-3	0.01
278	Perfluoro-3-methoxypropanoic acid(PFMPA)	377-73-1	0.01
279	Perfluoro-4-methoxybutanoic acid(PFMBA)	863090-89-5	0.01
280	Nonafluoro-3,6-dioxaheptanoic acid(NFDHA)	151772-58-6	0.01

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
281	Perfluoro(2-ethoxyethane)sulfonic acid(PFEESA)	113507-82-7	0.01
282	3-Perfluoroheptyl propanoic acid(7:3 FTCA)	812-70-4	0.01
283	1H,1H,2H,2H-Perfluorooctylacrylate (6:2 FTA)	17527-29-6	0.1
284	1H,1H,2H,2H-Perfluorodecylacrylate (8:2 FTA)	27905-45-9	0.1
285	1H,1H,2H,2H-Perfluorododecylacrylate (10:2 FTA)	17741-60-5	0.1
286	1H,1H,2H,2H-Perfluoro-1-hexanol (4:2 FTOH)	2043-47-2	0.1
287	1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH)	647-42-7	0.1
288	1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	0.1
289	1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2 FTOH)	865-86-1	0.1
290	1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMA)	2144-53-8	0.1
291	1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)	1996-88-9	0.1
292	Methyl perfluorooctanoate (Me-PFOA)	376-27-2	0.1
293	Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5	0.1
294	1-Iodoperfluorooctane (PFOI)	507-63-1	0.1
295	1-Iodo-1H,1H,2H,2H-perfluorodecane (8:2 FTI)	2043-53-0	0.1
296	1H,1H,2H,2H-Perfluorodecyltriethoxysilane (PFSI)	101947-16-4	0.1
297	1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N-methylbutane-1-sulphonamide	34454-97-2	0.1
298	1H,1H,2H,2H-Perfluorohexyl methacrylate (4:2 FTMA)	1799-84-4	0.1
299	1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2FTMA)	2144-54-9	0.1
300	1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI)	2043-54-1	0.1
301	1H,1H,2H,2H-Perfluorotetradecanol (12:2 FTOH)	39239-77-5	0.1
302	1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI)	30046-31-2	0.1
303	10:2 Fluortelomerphosphatemonoester (10:2 monoPAP)	57678-05-4	0.1
304	10:2 Fluortelomer diammonium dihydrogen phosphate*	93857-45-5	0.1
305	3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-Henicosafuorododecyl dihydrogen phosphate cyclohexylamine*	--	0.1
306	10:2 Fluortelomerphosphatediester (10:2 diPAP)	1895-26-7	0.1
307	Perfluorodecyl iodide (PFDI)	423-62-1	0.1
308	Perfluorododecyl iodide (PFDoDI)	307-60-8	0.1
309	1H,1H-Pentadecafluorooctylacrylate (7:1 FTA)	307-98-2	0.1

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH24002160

Test Conducted:

	<u>Substances</u>	<u>CAS No.</u>	<u>Detection Limit (mg/kg)</u>
310	1H,1H-Perfluoro-1-octanol (7:1 FTOH)	307-30-2	0.1
311	1H,1H-Perfluorooctylamine	307-29-9	0.1
312	1H,1H,2H-Perfluoro-1-decene (8:2 FTO)	21652-58-4	0.1
313	Mono[2-(perfluorooctyl)ethyl]phosphate (8:2 MonoPAP)	57678-03-2	0.1
314	8:2 Fluorotelomer diammonium phosphate*	93857-44-4	0.1
315	Sodium 1H,1H,2H,2H-perfluorodecylphosphate*	130771-95-8	0.1
316	Disodium 1H,1H,2H,2H-perfluorodecylphosphate*	438237-75-3	0.1
317	Pentafluoropropionic acid (PFPrA)	422-64-0	0.1
318	Sodium perfluoropropanoate*	378-77-8	0.1
319	Potassium perfluoropropanoate*	378-76-7	0.1
320	3-Perfluoropropyl propanoic acid(3:3 FTCA)	356-02-5	0.1

* = The test result is based on the corresponding PFAS anions.

Tested component(s):

(1) FOOPAK NATURA CUP

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hicoordinator.indonesia@intertek.com Website: www.intertek.com