



Test Report

Applicant : PT Indah Kiat Pulp & Paper Tbk
JI Raya Serang Km 76 Kragilan
Serang Banten 42184


Date : Feb 21, 2025

Attn : Fini Fitriani, Tohari Waluyo

Sample description:

One (1) group of submitted sample said to be :

Material Name : **FOOPAK HARDSIZE BOARD**
Country of Original : Indonesia
Manufacturers Name : PT Indah Kiat Pulp & Paper Tbk
Date sample received : Feb 06, 2025
Testing period : Feb 06, 2025 to Feb 21, 2025



Test conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

| <u>Tested sample</u> | <u>Test Item</u> | <u>Result</u> |
|----------------------|------------------------|--------------------|
| Submitted sample | Selective PFAS content | See test conducted |

Remark:

Test subcontracted to Intertek China

Prepared and checked by:
For Intertek Indonesia

Made Widyani
Operation Manager - Testing



Test Report

Report Number: JKTH25000421

Test Conducted:


PFAS Content

By solvent extraction and followed by Liquid Chromatographic / Tandem Mass Spectrometer (LC/MS/MS) analysis and/or Gas Chromatography Mass Spectrometry (GC-MS) analysis.

| <u>Test Item</u> | Result (mg/kg) Tested Component |
|-----------------------|------------------------------------|
| | (1) |
| PFAS Content Δ | ND |

ND = Not detected (less than detection limit)

Δ = The reported value was calculated by summation of substances listed below:



This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

PFAS Content

By solvent extraction and followed by Liquid Chromatographic / Tandem Mass Spectrometer (LC/MS/MS) analysis and/or Gas Chromatography Mass Spectrometry (GC-MS) analysis.

| | Substances | CAS No. | Detection Limit (mg/kg) |
|----|--|-------------|-------------------------|
| 1 | Perfluorobutanoic acid (PFBA) | 375-22-4 | 0.01 |
| 2 | Heptafluorobutryl Fluoride* | 335-42-2 | 0.01 |
| 3 | Heptafluorobutyric anhydride* | 336-59-4 | 0.01 |
| 4 | Heptafluorobutanoic acid--piperazine (1/1)* | 375-04-2 | 0.01 |
| 5 | Heptafluorobutanoyl Bromide* | 375-13-3 | 0.01 |
| 6 | Heptafluorobutryl chloride* | 375-16-6 | 0.01 |
| 7 | 4-Chlorobenzene-1-diazonium heptafluorobutanoate--heptafluorobutanoic acid (1/1/1)* | 630-31-9 | 0.01 |
| 8 | Butanoic acid, 2,2,3,3,4,4,4-heptafluoro-, sodium salt (1:1)* | 2218-54-4 | 0.01 |
| 9 | heptafluorobutanoic acid- 1-phenylpiperazine(1:1)* | 2263-11-8 | 0.01 |
| 10 | Heptafluorobutanoic Acid Calcium Salt* | 2366-98-5 | 0.01 |
| 11 | Potassium perfluorobutanoate* | 2966-54-3 | 0.01 |
| 12 | Silver heptafluorobutyrate* | 3794-64-7 | 0.01 |
| 13 | Lithium Perfluorobutanoate* | 4146-76-3 | 0.01 |
| 14 | Ammonium perfluorobutanoate* | 10495-86-0 | 0.01 |
| 15 | Perfluorobutanoate* | 45048-62-2 | 0.01 |
| 16 | Rhodium(II) Heptafluorobutyrate Dimer* | 73755-28-9 | 0.01 |
| 17 | N5-(5-Hydroxy-4,6-dimethylpyrimidin-2-yl)-L-ornithine--heptafluorobutanoic acid (1/2)* | 936233-19-1 | 0.01 |
| 18 | Perfluoropentanoic acid (PFPeA) | 2706-90-3 | 0.01 |
| 19 | Perfluoropentanoic Anhydride* | 308-28-1 | 0.01 |
| 20 | Potassium perfluoropentanoate* | 336-23-2 | 0.01 |
| 21 | Perfluoropentanoyl Fluoride* | 375-62-2 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|----|--|----------------|--------------------------------|
| 22 | Sodium perfluoropentanoate* | 2706-89-0 | 0.01 |
| 23 | Silver perfluoropentanoate* | 2795-30-4 | 0.01 |
| 24 | Perfluoropentanoate* | 45167-47-3 | 0.01 |
| 25 | Nonafluoropentanoic acid - 1-benzylthiourea* | 64808-55-5 | 0.01 |
| 26 | Ammonium perfluoropentanoate* | 68259-11-0 | 0.01 |
| 27 | Lithium perfluoropentanoate* | 198482-22-3 | 0.01 |
| 28 | Nonafluoropentanoyl chloride* | 375-60-0 | 0.01 |
| 29 | Nonafluoropentanoyl bromide* | 159623-35-5 | 0.01 |
| 30 | Perfluorohexanoic acid (PFHxA) | 307-24-4 | 0.01 |
| 31 | Perfluorohexanoic anhydride* | 308-13-4 | 0.01 |
| 32 | Perfluorohexanoyl Chloride* | 335-53-5 | 0.01 |
| 33 | Silver perfluorohexanoate* | 336-02-7 | 0.01 |
| 34 | Perfluorohexanoyl Fluoride* | 355-38-4 | 0.01 |
| 35 | Undecafluorohexanoic acid-piperazine (1:1)* | 423-47-2 | 0.01 |
| 36 | 1-phenylpiperazine; 2,2,3,3,4,4,5,5,6,6,6-undecafluorohexanoic acid* | 985-60-4 | 0.01 |
| 37 | Sodium perfluorohexanoate* | 2923-26-4 | 0.01 |
| 38 | Potassium perfluorohexanoate* | 3109-94-2 | 0.01 |
| 39 | Ammonium perfluorohexanoate (PFHxA-NH)* | 21615-47-4 | 0.01 |
| 40 | Lithium perfluorohexanoate* | 90430-61-8 | 0.01 |
| 41 | Perfluorohexanoate* | 92612-52-7 | 0.01 |
| 42 | Undecafluorohexanoic Acid--Hexan-1-Amine (1/1)* | 565225-91-4 | 0.01 |
| 43 | Perfluorohexanoyl Bromide* | 1404193-66-3 | 0.01 |
| 44 | Perfluoroheptanoic acid (PFHpA) | 375-85-9 | 0.01 |
| 45 | Perfluoroheptanoyl Fluoride* | 375-84-8 | 0.01 |
| 46 | Silver;2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptanoate* | 424-05-5 | 0.01 |
| 47 | Ammonium perfluoroheptanoate* | 6130-43-4 | 0.01 |
| 48 | Sodium perfluoroheptanoate* | 20109-59-5 | 0.01 |
| 49 | Potassium perfluoroheptanoate* | 21049-36-5 | 0.01 |
| 50 | Perfluoroheptanoyl Chloride* | 52447-22-0 | 0.01 |
| 51 | Lithium perfluoroheptanoate* | 60871-90-1 | 0.01 |
| 52 | Perfluoroheptanoic Anhydride* | 78225-99-7 | 0.01 |
| 53 | Perfluoroheptanoate* | 120885-29-2 | 0.01 |
| 54 | Perfluoroheptanoyl Bromide* | 159623-34-4 | 0.01 |
| 55 | Cesium 2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptanoate* | 171198-24-6 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|----|---|----------------|--------------------------------|
| 56 | Perfluorooctanoic acid (PFOA) | 335-67-1 | 0.01 |
| 57 | Perfluorooctanoyl Chloride* | 335-64-8 | 0.01 |
| 58 | Perfluorooctanoyl fluoride (PFOA-F) * | 335-66-0 | 0.01 |
| 59 | Silver perfluorooctanoate (PFOA-Ag) * | 335-93-3 | 0.01 |
| 60 | Sodium perfluorooctanoate (PFOA-Na) * | 335-95-5 | 0.01 |
| 61 | Pentadecafluorooctanoic acid--piperazine (2/1)* | 423-52-9 | 0.01 |
| 62 | pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1)* | 1514-68-7 | 0.01 |
| 63 | Potassium perfluorooctanoate (PFOA-K) * | 2395-00-8 | 0.01 |
| 64 | Ammonium pentadecafluorooctanoate (APFO)* | 3825-26-1 | 0.01 |
| 65 | Lithium perfluorooctanoate* | 17125-58-5 | 0.01 |
| 66 | Cesium Perfluorooctanoate* | 17125-60-9 | 0.01 |
| 67 | Perfluorooctanoate N,N,N-Trimethylmethanaminium* | 32609-65-7 | 0.01 |
| 68 | Perfluorooctanoic Anhydride* | 33496-48-9 | 0.01 |
| 69 | Cobalt perfluorooctanoate* | 35965-01-6 | 0.01 |
| 70 | Pentadecafluorooctanoate* | 45285-51-6 | 0.01 |
| 71 | Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+)* | 68141-02-6 | 0.01 |
| 72 | Pentadecafluorooctanoic Acid--Pyridine (1/1)* | 95658-47-2 | 0.01 |
| 73 | Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate(1:1:2) (PFOA-K(H ₂ O) ₂)* | 98065-31-7 | 0.01 |
| 74 | N,N,N-Triethylethanaminium perfluorooctanoate* | 98241-25-9 | 0.01 |
| 75 | Perfluorooctanoyl Bromide* | 222037-87-8 | 0.01 |
| 76 | Tetrapropylammonium perfluorooctanoate* | 277749-00-5 | 0.01 |
| 77 | N,N,N-Trimethyloctan-1-aminium pentadecafluorooctanoate* | 927835-01-6 | 0.01 |
| 78 | Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. With ethanamine (1:1) (PFOA-C ₂ H ₇ N)* | 1376936-03-6 | 0.01 |
| 79 | Perfluorononanoic acid (PFNA) | 375-95-1 | 0.01 |
| 80 | Perfluorononanoyl Fluoride* | 558-95-2 | 0.01 |
| 81 | Perfluorononanoate ammonium salt (APFN) * | 4149-60-4 | 0.01 |
| 82 | Silver perfluorononanoate* | 7358-16-9 | 0.01 |
| 83 | Potassium perfluorononanoate (PFNA-K)* | 21049-38-7 | 0.01 |
| 84 | Perfluorononanoate Na-Salt (PFNA-Na) * | 21049-39-8 | 0.01 |
| 85 | Perfluorononanoyl Chloride* | 52447-23-1 | 0.01 |
| 86 | Lithium heptadecafluorononanoate* | 60871-92-3 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 87 | Perfluorononanoate* | 72007-68-2 | 0.01 |
| 88 | Methanaminium perfluorononanoate* | 77032-23-6 | 0.01 |
| 89 | Heptadecafluorononanoic acid--N-methylmethanamine (1/1)* | 77032-24-7 | 0.01 |
| 90 | Heptadecafluorononanoic acid--N-ethylethanamine (1/1)* | 77032-27-0 | 0.01 |
| 91 | Piperidinium perfluorononanoate* | 95682-66-9 | 0.01 |
| 92 | Heptadecafluorononanoic acid--aniline (1/1)* | 95682-67-0 | 0.01 |
| 93 | Perfluorononanoic Anhydride* | 228407-54-3 | 0.01 |
| 94 | Heptadecafluorononanoyl Bromide* | 261503-42-8 | 0.01 |
| 95 | 4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium heptadecafluorononanoate* | 298703-33-0 | 0.01 |
| 96 | N,N-Diethylethanaminium heptadecafluorononanoate* | 327176-80-7 | 0.01 |
| 97 | Cyclohexanaminium perfluorononanoate* | 328531-06-2 | 0.01 |
| 98 | Perfluorodecanoic acid (PFDA) | 335-76-2 | 0.01 |
| 99 | Perfluorodecanoate ammonium salt (APFDA) * | 3108-42-7 | 0.01 |
| 100 | Perfluorodecanoate Na-salt (PFDA-Na) * | 3830-45-3 | 0.01 |
| 101 | Silver Perfluorodecanoate* | 5784-82-7 | 0.01 |
| 102 | Potassium Perfluorodecanoate* | 51604-85-4 | 0.01 |
| 103 | Perfluorodecanoate* | 73829-36-4 | 0.01 |
| 104 | Lithium Perfluorodecanoate* | 84743-32-8 | 0.01 |
| 105 | Perfluorodecanoic Anhydride* | 942199-24-8 | 0.01 |
| 106 | Perfluorodecanoyl chloride* | 307-38-0 | 0.01 |
| 107 | Perfluoroundecanoic acid (PFUdA) | 2058-94-8 | 0.01 |
| 108 | Ammonium perfluoroundecanoate* | 4234-23-5 | 0.01 |
| 109 | Potassium perfluoroundecanoate* | 30377-53-8 | 0.01 |
| 110 | Perfluoroundecanoic acid sodium salt* | 60871-96-7 | 0.01 |
| 111 | Calcium perfluoroundecanoate* | 97163-17-2 | 0.01 |
| 112 | Perfluoroundecanoate* | 196859-54-8 | 0.01 |
| 113 | Perfluorododecanoic acid (PFDoA) | 307-55-1 | 0.01 |
| 114 | Ammonium perfluorododecanoate* | 3793-74-6 | 0.01 |
| 115 | Sodium perfluorododecanoate* | 60872-01-7 | 0.01 |
| 116 | Perfluorododecanoate* | 171978-95-3 | 0.01 |
| 117 | Perfluorotridecanoic acid (PFTrDA) | 72629-94-8 | 0.01 |
| 118 | Ammonium perfluorotridecanoate* | 4288-72-6 | 0.01 |
| 119 | Perfluorotridecanoate* | 862374-87-6 | 0.01 |
| 120 | Perfluorotetradecanoic acid (PFTeDA) | 376-06-7 | 0.01 |
| 121 | Perfluorotetradecanoate* | 365971-87-5 | 0.01 |
| 122 | Trifluoromethanesulfonic acid | 1493-13-6 | 0.01 |
| 123 | Barium trifluoromethanesulphonate* | 2794-60-7 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|--|----------------|--------------------------------|
| 124 | Methanesulfonic acid, trifluoro-, silver(1+) salt* | 2923-28-6 | 0.01 |
| 125 | Potassium trifluoromethanesulfonate* | 2926-27-4 | 0.01 |
| 126 | Sodium trifluoromethanesulfonate* | 2926-30-9 | 0.01 |
| 127 | 1-Ethylpyridinium trifluoromethanesulfonate* | 3878-80-6 | 0.01 |
| 128 | Lithium trifluoromethanesulfonate* | 33454-82-9 | 0.01 |
| 129 | Neodymium(III) trifluoromethanesulfonate* | 34622-08-7 | 0.01 |
| 130 | Lanthanum trifluoromethanesulfonate--water (1/3/1)* | 34629-21-5 | 0.01 |
| 131 | Yttrium trifluoromethanesulfonate--water (1/3/1)* | 34629-25-9 | 0.01 |
| 132 | Tetraethylammonium trifluoromethanesulphonate* | 35895-69-3 | 0.01 |
| 133 | Trifluoromethanesulfonate* | 37181-39-8 | 0.01 |
| 134 | Ammonium trifluoromethanesulfonate* | 38542-94-8 | 0.01 |
| 135 | Copper(2+) trifluoromethanesulfonate--benzene (1/2/1)* | 42152-46-5 | 0.01 |
| 136 | Mercury(II) trifluoromethanesulfonate* | 49540-00-3 | 0.01 |
| 137 | Trifluoromethanesulfonic acid--water (1/1)* | 49789-04-0 | 0.01 |
| 138 | europium trifluoromethanesulfonate* | 52093-25-1 | 0.01 |
| 139 | Lanthanum tris(trifluoromethanesulfonate)* | 52093-26-2 | 0.01 |
| 140 | Praseodymium(III) trifluoromethanesulfonate* | 52093-27-3 | 0.01 |
| 141 | Samarium(III) trifluoromethanesulfonate* | 52093-28-4 | 0.01 |
| 142 | Yttrium(III) trifluoromethanesulfonate* | 52093-30-8 | 0.01 |
| 143 | Pyridinium trifluoromethanesulfonate* | 52193-54-1 | 0.01 |
| 144 | Zinc trifluoromethanesulphonate* | 54010-75-2 | 0.01 |
| 145 | Ytterbium(3+) tris(trifluoromethanesulfonate)* | 54761-04-5 | 0.01 |
| 146 | Methanesulfonic acid, trifluoro-, calcium salt* | 55120-75-7 | 0.01 |
| 147 | Magnesium trifluoromethanesulfonate* | 60871-83-2 | 0.01 |
| 148 | Nickel(II) Trifluoromethanesulfonate* | 60871-84-3 | 0.01 |
| 149 | Tin(II) trifluoromethanesulfonate* | 62086-04-8 | 0.01 |
| 150 | Iron(III) trifluoromethanesulfonate* | 63295-48-7 | 0.01 |
| 151 | 2-Ethenyl-1-(prop-2-en-1-yl)thian-1-ium trifluoromethanesulfonate* | 66120-38-5 | 0.01 |
| 152 | Tributyltin trifluoromethanesulfonate* | 68725-14-4 | 0.01 |
| 153 | Thallium(I) Trifluoromethanesulfonate* | 73491-36-8 | 0.01 |
| 154 | Gallium tris(trifluoromethanesulfonate)* | 74974-60-0 | 0.01 |
| 155 | Cerium(III) Triflate* | 76089-77-5 | 0.01 |
| 156 | Morpholin-4-ium trifluoromethanesulfonate* | 77534-70-4 | 0.01 |
| 157 | Pentaammine(trifluoromethanesulfonato)osmium(II I) triflate* | 83781-30-0 | 0.01 |
| 158 | 2-Chloro-1-methylpyridinium trifluoromethanesulphonate* | 84030-18-2 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|--|----------------|--------------------------------|
| 159 | Bismuth(III) trifluoromethanesulfonate* | 88189-03-1 | 0.01 |
| 160 | 1-Fluoropyridinium triflate* | 107263-95-6 | 0.01 |
| 161 | Cerium(IV) trifluoromethanesulfonate* | 107792-63-2 | 0.01 |
| 162 | 1,3-Dimethyl-1H-imidazol-3-ium trifluoromethanesulfonate* | 121091-30-3 | 0.01 |
| 163 | Lutetium(III) trifluoromethanesulfonate* | 126857-69-0 | 0.01 |
| 164 | Indium(III) trifluoromethanesulfonate* | 128008-30-0 | 0.01 |
| 165 | Dysprosium(III) trifluoromethanesulfonate* | 139177-62-1 | 0.01 |
| 166 | Holmium tris(trifluoromethanesulfonate)* | 139177-63-2 | 0.01 |
| 167 | Erbium(III) trifluoromethanesulfonate* | 139177-64-3 | 0.01 |
| 168 | Thulium(III) trifluoromethanesulfonate* | 141478-68-4 | 0.01 |
| 169 | Scandium(III) triflate* | 144026-79-9 | 0.01 |
| 170 | 1-Ethyl-3-methylimidazolium trifluoromethanesulfonate* | 145022-44-2 | 0.01 |
| 171 | Terbium(III) trifluoromethanesulfonate* | 148980-31-8 | 0.01 |
| 172 | 1-Butyl-3-methylimidazolium trifluoromethanesulfonate* | 174899-66-2 | 0.01 |
| 173 | 1-Ethyl-2,3-dimethylimidazolium trifluoromethanesulfonate* | 174899-72-0 | 0.01 |
| 174 | Cerium(4+) trifluoromethanesulfonate--water (1/4/1)* | 206996-62-5 | 0.01 |
| 175 | Ytterbium(3+) trifluoromethanesulfonate--water (1/3/1)* | 252976-51-5 | 0.01 |
| 176 | 2-Ethenyl-1-methylpyridin-1-ium trifluoromethanesulfonate* | 339530-78-8 | 0.01 |
| 177 | 1-Butyl-1-methylpyrrolidinium trifluoromethanesulfonate* | 367522-96-1 | 0.01 |
| 178 | 1-Butylpyridinium trifluoromethanesulfonate* | 390423-43-5 | 0.01 |
| 179 | 1,2,3-Trimethyl-1H-imidazol-3-ium trifluoromethanesulfonate* | 439286-64-3 | 0.01 |
| 180 | Cerium(3+) trifluoromethanesulfonate--water (1/3/1)* | 698999-65-4 | 0.01 |
| 181 | 1-Ethyl-1-methylpyrrolidinium trifluoromethanesulfonate* | 893443-18-0 | 0.01 |
| 182 | 2-Fluoro-1-methylpyridin-1-ium trifluoromethanesulfonate* | 921754-29-2 | 0.01 |
| 183 | 1-Methyl-1-propylpyrrolidinium trifluoromethanesulfonate* | 1224852-54-3 | 0.01 |
| 184 | 1-Butyl-1-methylpiperidinium trifluoromethanesulfonate* | 1357500-93-6 | 0.01 |
| 185 | 1-Butyl-2-methylpyridinium trifluoromethanesulfonate* | 1770850-20-8 | 0.01 |
| 186 | Perfluorobutanesulfonic acid (L-PFBS) | 375-73-5 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 187 | Perfluorobutansulfonyl fluoride* | 375-72-4 | 0.01 |
| 188 | 1,1,2,2,3,3,4,4,4-Nonafluorobutane-1-sulfonyl chloride* | 2991-84-6 | 0.01 |
| 189 | N,N,N,-triethylethanaminium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulfonate(PFBS-N(C ₂ H ₅) ₃)* | 25628-08-4 | 0.01 |
| 190 | Tetramethylammonium perfluorobutane sulfonate* | 25628-17-5 | 0.01 |
| 191 | Perfluorobutanesulfonate K-salt (PFBS-K)* | 29420-49-3 | 0.01 |
| 192 | Perfluorobutanesulfonic Anhydride* | 36913-91-4 | 0.01 |
| 193 | Perfluorobutanesulfonate* | 45187-15-3 | 0.01 |
| 194 | N,N,N-Tripropylpentan-1-aminium nonafluorobutane-1-sulfonate* | 56773-55-8 | 0.01 |
| 195 | Nonafluorobutanesulfonic Acid Hydrate (PFBS-H ₂ O)* | 59933-66-3 | 0.01 |
| 196 | 1-Butanesulfonic acid,1,1,2,2,3,3,4,4,4-nonafluoro-,sodium salt (1:1)* | 60453-92-1 | 0.01 |
| 197 | Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1- sulphonate* | 68259-10-9 | 0.01 |
| 198 | Bis(2-hydroxyethyl)ammonium perfluorobutanesulfonate* | 70225-18-2 | 0.01 |
| 199 | Tetrabutylammonium perfluoro-1-butanesulfonate* | 108427-52-7 | 0.01 |
| 200 | N,N-Dibutyl-N-methylbutan-1-aminium nonafluorobutane-1-sulfonate* | 124472-66-8 | 0.01 |
| 201 | lithium perfluorobutanesulfonate* | 131651-65-5 | 0.01 |
| 202 | Triphenylsulfanium perfluorobutane sulfonate* | 144317-44-2 | 0.01 |
| 203 | Triethylammonium perfluorobutane sulfonate* | 182059-38-7 | 0.01 |
| 204 | Diphenyliodonium nonafluorobutane-1-sulfonate* | 194999-82-1 | 0.01 |
| 205 | bis(4-t-butylphenyl)iodonium perfluorobutanesulfonate* | 194999-85-4 | 0.01 |
| 206 | 1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate* | 209482-18-8 | 0.01 |
| 207 | dimethyl(phenyl)sulfanium perfluorobutanesulfonate* | 220133-51-7 | 0.01 |
| 208 | tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate* | 220689-12-3 | 0.01 |
| 209 | Tris(4-tert-butylphenyl)sulfonium perfluorobutanesulfonate* | 241806-75-7 | 0.01 |
| 210 | N-(2-Hydroxyethyl)-N,N-dimethyl-1-octanaminium perfluoro-1-butanesulfonate (1:1)* | 334529-55-4 | 0.01 |
| 211 | 1-Hexadecylpyridinium perfluoro-1-butanesulfonate* | 334529-62-3 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 212 | 1-Butylpyridinium perfluoro-1-butanefluorobutane-1-sulfonate* | 334529-64-5 | 0.01 |
| 213 | N,N-Dimethyl-N-(propan-2-yl)propan-2-aminium nonafluorobutane-1-sulfonate* | 374571-81-0 | 0.01 |
| 214 | (4-Cyclohexylphenyl)(diphenyl)sulfanium nonafluorobutane-1-sulfonate* | 425670-64-0 | 0.01 |
| 215 | N-Methyl-N,N-dioctyl-1-octanaminium perfluoro-1-butanefluorobutane-1-sulfonate* | 495417-51-1 | 0.01 |
| 216 | Zinc bis(nonafluoro-1-butanefluorobutane-1-sulfonate)* | 502457-69-4 | 0.01 |
| 217 | morpholinium perfluorobutanefluorobutane-1-sulfonate* | 503155-89-3 | 0.01 |
| 218 | magnesium perfluorobutanefluorobutane-1-sulfonate* | 507453-86-3 | 0.01 |
| 219 | Sulfonium, tris(4-methylphenyl)-, salt with perfluoro-1-butanefluorobutane-1-sulfonic acid (1:1)* | 722538-68-3 | 0.01 |
| 220 | [4-(2-tert-Butoxy-2-oxoethoxy)phenyl](diphenyl)sulfanium nonafluorobutane-1-sulfonate* | 857285-80-4 | 0.01 |
| 221 | 1-(1-Methyl-1H-indol-3-yl)thiolan-1-ium nonafluorobutane-1-sulfonate* | 867373-18-0 | 0.01 |
| 222 | 1-Methyl-3-octyl-1H-imidazolium perfluorobutanefluorobutane-1-sulfonate* | 905972-83-0 | 0.01 |
| 223 | 3-Hexyl-1-methyl-1H-imidazolium perfluorobutanefluorobutane-1-sulfonate* | 1001557-05-6 | 0.01 |
| 224 | 1-Ethyl-3-methylpyridin-1-ium nonafluorobutane-1-sulfonate* | 1015420-87-7 | 0.01 |
| 225 | Perfluorohexanesulfonic acid (L-PFHxS) | 355-46-4 | 0.01 |
| 226 | Perfluorohexane sulphonyl fluoride* | 423-50-7 | 0.01 |
| 227 | Perfluorohexylsulfonyl chloride* | 55591-23-6 | 0.01 |
| 228 | Perfluorohexanesulfonate K-salt (PFHxS-K) * | 3871-99-6 | 0.01 |
| 229 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1)* | 41184-65-0 | 0.01 |
| 230 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt (3:1)* | 41242-12-0 | 0.01 |
| 231 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, lithium salt (1:1)* | 55120-77-9 | 0.01 |
| 232 | ammonium perfluorohexane-1-sulphonate* | 68259-08-5 | 0.01 |
| 233 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, zinc salt* | 70136-72-0 | 0.01 |
| 234 | tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1)* | 70225-16-0 | 0.01 |
| 235 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1)* | 72033-41-1 | 0.01 |
| 236 | Perfluorohexanesulfonate NA-salt (PFHxS-Na) * | 82382-12-5 | 0.01 |
| 237 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt (1:1)* | 92011-17-1 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | Substances | CAS No. | Detection Limit (mg/kg) |
|-----|--|-------------|-------------------------|
| 238 | Perfluorohexylsulfonate* | 108427-53-8 | 0.01 |
| 239 | N,N,N-tributylbutan-1-aminium tridecafluorohexane-1-sulfonate * | 108427-54-9 | 0.01 |
| 240 | N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate* | 108427-55-0 | 0.01 |
| 241 | Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) * | 144116-10-9 | 0.01 |
| 242 | Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 153443-35-7 | 0.01 |
| 243 | Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)* | 189274-31-5 | 0.01 |
| 244 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd.with 2-methyl-2- propanamine* | 202189-84-2 | 0.01 |
| 245 | Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 213740-81-9 | 0.01 |
| 246 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt* | 341035-71-0 | 0.01 |
| 247 | Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 341548-85-4 | 0.01 |
| 248 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1)* | 350836-93-0 | 0.01 |
| 249 | Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2)* | 421555-73-9 | 0.01 |
| 250 | Iodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic* | 421555-74-0 | 0.01 |
| 251 | Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 425670-70-8 | 0.01 |
| 252 | Iodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)* | 866621-50-3 | 0.01 |
| 253 | Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) * | 910606-39-2 | 0.01 |
| 254 | Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 911027-68-4 | 0.01 |
| 255 | Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 ^{3,7}]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 ^{3,7}]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate* | 911027-69-5 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | Substances | CAS No. | Detection Limit (mg/kg) |
|-----|--|--------------|-------------------------|
| 256 | Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 928049-42-7 | 0.01 |
| 257 | Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 1000597-52-3 | 0.01 |
| 258 | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1)* | 1187817-57-7 | 0.01 |
| 259 | Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthaleny]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 1310480-24-0 | 0.01 |
| 260 | Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthaleny]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 1310480-27-3 | 0.01 |
| 261 | Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthaleny]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 1310480-28-4 | 0.01 |
| 262 | Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1)* | 1329995-45-0 | 0.01 |
| 263 | Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1)* | 1329995-69-8 | 0.01 |
| 264 | Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)* | 1462414-59-0 | 0.01 |
| 265 | Tetrabutylphosphonium perfluorohexane sulfonate* | 2310194-12-6 | 0.01 |
| 266 | Perfluoroheptanesulfonic acid (L-PFHpS) | 375-92-8 | 0.01 |
| 267 | Perfluoroheptanesulfonyl Fluoride* | 335-71-7 | 0.01 |
| 268 | Perfluoroheptanesulfonate Na-salt (PFHpS-Na)* | 21934-50-9 | 0.01 |
| 269 | Potassium Perfluoroheptanesulfonate (PFHpS-K)* | 60270-55-5 | 0.01 |
| 270 | Ammonium perfluoroheptanesulfonate* | 68259-07-4 | 0.01 |
| 271 | Bis(2-hydroxyethyl)ammonium perfluoroheptanesulfonate* | 70225-15-9 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 272 | Triethylammonium perfluoroheptane sulfonate* | 72033-40-0 | 0.01 |
| 273 | Lithium perfluoroheptanesulfonate* | 117806-54-9 | 0.01 |
| 274 | Perfluoroheptanesulfonate* | 146689-46-5 | 0.01 |
| 275 | Tetraethylammonium perfluoroheptane sulfonate* | 439863-97-5 | 0.01 |
| 276 | Perfluorooctanesulfonic acid (L-PFOS) | 1763-23-1 | 0.01 |
| 277 | Perfluorooctane Sulfonyl fluoride (POSF) * | 307-35-7 | 0.01 |
| 278 | Heptadecafluoro-1-Octanesulfonyl Chloride* | 423-60-9 | 0.01 |
| 279 | Potassium Perfluorooctanesulfonate (PFOS-K) * | 2795-39-3 | 0.01 |
| 280 | Sodium Perfluorooctanesulfonate (PFOS-Na)* | 4021-47-0 | 0.01 |
| 281 | Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)* | 29081-56-9 | 0.01 |
| 282 | Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) * | 29457-72-5 | 0.01 |
| 283 | Perfluorooctanesulfonate* | 45298-90-6 | 0.01 |
| 284 | Triethylammonium perfluorooctane sulfonate* | 54439-46-2 | 0.01 |
| 285 | Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)* | 56773-42-3 | 0.01 |
| 286 | Tetramethylammonium perfluorooctane sulfonate* | 56773-44-5 | 0.01 |
| 287 | N,N,N-Tripropylpentan-1-aminium heptadecafluorooctane-1-sulfonate* | 56773-56-9 | 0.01 |
| 288 | Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C ₂ H ₄ OH) ₂) * | 70225-14-8 | 0.01 |
| 289 | Piperidinium perfluorooctanesulfonate* | 71463-74-6 | 0.01 |
| 290 | Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)* | 91036-71-4 | 0.01 |
| 291 | Tetrabutylammonium perfluorooctanesulfonate* | 111873-33-7 | 0.01 |
| 292 | N,N-Dibutyl-N-methylbutan-1-aminium heptadecafluorooctane-1-sulfonate* | 124472-68-0 | 0.01 |
| 293 | Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, salt with perfluoro-1-octanesulfonic acid (1:1)* | 213740-80-8 | 0.01 |
| 294 | N-decyl-N,N-dimethyldecane-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA) * | 251099-16-8 | 0.01 |
| 295 | Diphenyl(2,4,6-trimethylphenyl)sulfonium perfluoro-1-octanesulfonate* | 258341-99-0 | 0.01 |
| 296 | 1-Hexadecylpyridinium perfluoro-1-octanesulfonate* | 334529-63-4 | 0.01 |
| 297 | N,N,N-Triethyldecane-1-aminium heptadecafluorooctane-1-sulfonate* | 773895-92-4 | 0.01 |
| 298 | Tetrabutylphosphonium perfluorooctane sulfonate* | 2185049-59-4 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 299 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, cesium salt* | 92011-18-2 | 0.01 |
| 300 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, cobalt salt* | 89560-91-8 | 0.01 |
| 301 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with graphite* | 114174-50-4 | 0.01 |
| 302 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, iron salt* | 89560-92-9 | 0.01 |
| 303 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, iron(3+) salt* | 114519-83-4 | 0.01 |
| 304 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, nickel salt* | 89560-90-7 | 0.01 |
| 305 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, zinc salt* | 91036-72-5 | 0.01 |
| 306 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, zirconium(4+) salt* | 101360-77-4 | 0.01 |
| 307 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, barium salt (2:1)* | 4021-48-1 | 0.01 |
| 308 | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoroion(1) ,tris(triphenylphosphine)rhodium(1+)* | 88825-77-8 | 0.01 |
| 309 | 1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadecafluoro-, compd. with 1-octadecamine (1:1)* | 127771-41-9 | 0.01 |
| 310 | 1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadecafluoro-, compd. with 1-octanamine (1:1)* | 127771-43-1 | 0.01 |
| 311 | 1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadecafluoro-, compd. with 1-teracosanamine (1:1)* | 127771-42-0 | 0.01 |
| 312 | 1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadecafluoro-, compd. with benzenamine (1:1)* | 127771-48-6 | 0.01 |
| 313 | 1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadecafluoro-, compd. with cyclohexanamine (1:1)* | 127771-47-5 | 0.01 |
| 314 | 1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadecafluoro-, compd. with N,N-dimethyl-1-octadecanamine (1:1)* | 127771-45-3 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | Substances | CAS No. | Detection Limit (mg/kg) |
|-----|--|--------------|-------------------------|
| 315 | 1-Octanesulfonic acid 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hepadecafluoro-compd. with N-methyl-1-octadecanamine (1:1)* | 127771-44-2 | 0.01 |
| 316 | Perfluorodecanesulfonic acid (L-PFDS) | 335-77-3 | 0.01 |
| 317 | Perfluorodecanesulphonyl Fluoride* | 307-51-7 | 0.01 |
| 318 | Perfluorodecanesulfonate Na-salt (PFDS-Na) * | 2806-15-7 | 0.01 |
| 319 | Perfluorodecanesulfonate K-salt (PFDS-K) * | 2806-16-8 | 0.01 |
| 320 | Perfluorodecane sulfonic anhydride (PFDSA)* | 51667-62-0 | 0.01 |
| 321 | Perfluoroaliphatic Dean-sulfonate salt of NH4 (PFDS-NH4)* | 67906-42-7 | 0.01 |
| 322 | Perfluorodecanesulfonate* | 126105-34-8 | 0.01 |
| 323 | Perfluorooctanesulfonamide (PFOSA) | 754-91-6 | 0.01 |
| 324 | Perfluorooctanesulfonamide potassium salt (1:1)* | 76752-70-0 | 0.01 |
| 325 | Perfluorooctanesulfonamide ammonium salt (1:1)* | 76752-72-2 | 0.01 |
| 326 | Perfluorooctanesulfonamide sodium salt (1:1)* | 76752-78-8 | 0.01 |
| 327 | Perfluorooctanesulfonamide lithium salt (1:1)* | 76752-79-9 | 0.01 |
| 328 | Heptadecafluorooctane-1-sulphonamide, compound with triethylamine (1:1)* | 76752-82-4 | 0.01 |
| 329 | N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA) | 31506-32-8 | 0.01 |
| 330 | N-Ethyl-Perfluorooctanesulfonamide (N-Et-FOSA) | 4151-50-2 | 0.01 |
| 331 | N-Methyl-Perfluorooctanesulfonamidoethanol(N-Me-FOSE alcohol) | 24448-09-7 | 0.01 |
| 332 | N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol) | 1691-99-2 | 0.01 |
| 333 | 1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS) | 27619-97-2 | 0.01 |
| 334 | 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanesulphonyl chloride* | 27619-89-2 | 0.01 |
| 335 | 6:2 Fluorotelomer sulfonate sodium salt* | 27619-94-9 | 0.01 |
| 336 | 6:2 Fluorotelomer sulfonate potassium salt* | 59587-38-1 | 0.01 |
| 337 | 6:2 Fluorotelomer sulfonate ammonium salt* | 59587-39-2 | 0.01 |
| 338 | 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctane-1-sulfonate* | 425670-75-3 | 0.01 |
| 339 | 6:2 Fluorotelomer sulfonate barium salt* | 1807944-82-6 | 0.01 |
| 340 | 2H,2H,3H,3H-Perfluoroundecanoic acid (4HPFUnA) | 34598-33-9 | 0.01 |
| 341 | Lithium 3-(perfluorooctyl)propanoate* | 67304-23-8 | 0.01 |
| 342 | Potassium 2H,2H,3H,3H-Perfluoroundecanoate* | 83310-58-1 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|--|----------------|--------------------------------|
| 343 | Perfluoro-3-7-dimethyl octane carboxylate (PF-3,7- DMOA) | 172155-07-6 | 0.01 |
| 344 | 7H-Dodecafluoro heptane carboxylate (HPFHpA) | 1546-95-8 | 0.01 |
| 345 | Ammonium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate* | 376-34-1 | 0.01 |
| 346 | Sodium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate* | 2264-25-7 | 0.01 |
| 347 | 7H-Perfluoroheptanoyl Fluoride* | 5927-65-1 | 0.01 |
| 348 | 7H-Perfluoroheptanoyl Chloride* | 41405-35-0 | 0.01 |
| 349 | 7-H-Perfluoroheptanoate* | 69681-35-2 | 0.01 |
| 350 | 7H-Perfluoroheptanoyl Iodide* | 137741-05-0 | 0.01 |
| 351 | 7H-Perfluoroheptanoyl Bromide* | 141893-84-7 | 0.01 |
| 352 | 2H,2H-Perfluoro decane carboxylate (H2PFDA) | 27854-31-5 | 0.01 |
| 353 | Tetrabutylphosphonium 2H,2H-Perfluorodecanoate* | 882489-14-7 | 0.01 |
| 354 | 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS) | 39108-34-4 | 0.01 |
| 355 | 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-Heptadecafluorodecanesulphonyl chloride* | 27619-90-5 | 0.01 |
| 356 | 8:2 Fluorotelomer sulfonate sodium salt* | 27619-96-1 | 0.01 |
| 357 | 8:2 Fluorotelomer sulfonate ammonium salt* | 149724-40-3 | 0.01 |
| 358 | Potassium 2-(perfluorooctyl)ethane-1-sulfonate* | 438237-73-1 | 0.01 |
| 359 | 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-Heptadecafluorodecane-1-sulfonate* | 481071-78-7 | 0.01 |
| 360 | 1H,1H,2H,2H-Perfluorododecanesulfonic acid (10:2 FTS) | 120226-60-0 | 0.01 |
| 361 | 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-Henicosafuorododecane-1-sulphonyl chloride* | 27619-91-6 | 0.01 |
| 362 | Sodium 1H,1H,2H,2H-perfluorododecanesulfonate (10:2)* | 108026-35-3 | 0.01 |
| 363 | 1H,1H,2H,2H-Perfluorohexanesulfonic Acid (4:2 FTS) | 757124-72-4 | 0.01 |
| 364 | 4:2 Fluorotelomer sulfonate sodium* | 27619-93-8 | 0.01 |
| 365 | 3,3,4,4,5,5,6,6,6-Nonafluorohexane-1-sulphonyl chloride* | 65702-23-0 | 0.01 |
| 366 | 4:2 Fluorotelomer sulfonate* | 414911-30-1 | 0.01 |
| 367 | N-(Perfluoro-1-octanesulfonyl) Glycine | 2806-24-8 | 0.01 |
| 368 | N-[(Perfluorooctyl)Sulfonyl]Glycine Sodium Salt (1:1)* | 115716-87-5 | 0.01 |
| 369 | N-[(Perfluorooctyl)Sulfonyl]Glycinate* | 909405-47-6 | 0.01 |
| 370 | N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)* | 75260-69-4 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 371 | N-Methylperfluoro-1-octanesulfonamidoacetic Acid | 2355-31-9 | 0.01 |
| 372 | Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate* | 70281-93-5 | 0.01 |
| 373 | Cyclo-hexachloro(N-methyl-(N-(perfluorooctylsulphonyl)glycinato-O1:O1'))dihydroxytrichromium* | 97298-47-0 | 0.01 |
| 374 | 2-(N-Methylperfluorooctanesulfonamido)acetate* | 909405-48-7 | 0.01 |
| 375 | N-Ethyl-N-(perfluoro-1-octanesulfonyl) Glycine | 2991-50-6 | 0.01 |
| 376 | Potassium N-ethyl-N-((heptadecafluorooctyl)sulphonyl)glycinate* | 2991-51-7 | 0.01 |
| 377 | Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate* | 2991-52-8 | 0.01 |
| 378 | Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate* | 3871-50-9 | 0.01 |
| 379 | Diaquatetrachloro[μ-[N-ethyl-N-[(perfluorooctyl)sulfonyl]glycinato-O1:O1']]-μ-hydroxybis[2-methylpropanol]dichromium* | 68891-96-3 | 0.01 |
| 380 | 2-(N-Ethyl-perfluorooctanesulfonamido)acetate* | 909405-49-8 | 0.01 |
| 381 | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid | 13252-13-6 | 0.01 |
| 382 | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionyl fluoride* | 2062-98-8 | 0.01 |
| 383 | Ammonium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propanoate (HFPO-DA-NH ₄)* | 62037-80-3 | 0.01 |
| 384 | potassium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionate* | 67118-55-2 | 0.01 |
| 385 | Sodium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate* | 67963-75-1 | 0.01 |
| 386 | Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (+)-* | 75579-39-4 | 0.01 |
| 387 | Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, (-)-* | 75579-40-7 | 0.01 |
| 388 | Perfluoro(2-propoxypropanoate)* | 122499-17-6 | 0.01 |
| 389 | 2,3,3,3-Tetrafluoro-2-(heptafluoropropoxy)propanoic acid--N-propylpropan-1-amine (1/1)* | 165951-17-7 | 0.01 |
| 390 | Triethylaminium perfluoro-2-propoxypropanoate* | 165951-18-8 | 0.01 |
| 391 | 4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate* | 298703-31-8 | 0.01 |
| 392 | Benzoic acid, 2,3,6-triiodo-, (1-methyl-3-piperidiny)methyl ester, compd. with 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoro propoxy)propanoate (1:1) (HFPO- C ₁₄ H ₁₆ I ₃ NO ₂)* | 2412106-69-3 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | Substances | CAS No. | Detection Limit (mg/kg) |
|-----|---|--------------|-------------------------|
| 393 | bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10 heptadecafluorodecyl) phosphate (8:2diPAP) | 678-41-1 | 0.01 |
| 394 | Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate* | 57677-97-1 | 0.01 |
| 395 | Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt* | 93776-20-6 | 0.01 |
| 396 | Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate* | 114519-85-6 | 0.01 |
| 397 | 8:2 Fluorotelomer phosphate diester ion (1-)* | 1411713-91-1 | 0.01 |
| 398 | Perfluoroheptane-1-sulfinic acid | 769067-51-8 | 0.01 |
| 399 | Perfluoroheptanesulfinate Na-salt* | 68555-66-8 | 0.01 |
| 400 | Perfluorooctadecanoic Acid (PFODA) | 16517-11-6 | 0.01 |
| 401 | Perfluorooctadecanoate anion* | 798556-82-8 | 0.01 |
| 402 | Perfluorohexadecanoic Acid (PFHxDA) | 67905-19-5 | 0.01 |
| 403 | Hentriacontafluorohexadecanoate anion* | 1214264-30-8 | 0.01 |
| 404 | Perfluorononanesulfonic acid (PFNS) | 68259-12-1 | 0.01 |
| 405 | Ammonium nonadecafluorononanesulphonate* | 17202-41-4 | 0.01 |
| 406 | Perfluorononanesulfonate potassium* | 29359-39-5 | 0.01 |
| 407 | Nonadecafluorononanesulfonyl Fluoride* | 68259-06-3 | 0.01 |
| 408 | Sodium perfluoro-1-nonanesulfonate* | 98789-57-2 | 0.01 |
| 409 | Perfluorononanesulfonate* | 474511-07-4 | 0.01 |
| 410 | Perfluorododecanesulfonic acid (PFDoDS) | 79780-39-5 | 0.01 |
| 411 | Potassium perfluorododecanesulfonate* | 85187-17-3 | 0.01 |
| 412 | Perfluorododecanesulfonate* | 343629-43-6 | 0.01 |
| 413 | Sodium perfluoro-1-dodecanesulfonate* | 1260224-54-1 | 0.01 |
| 414 | 3-Perfluoropentyl propanoic acid (5:3 FTCA) | 914637-49-3 | 0.01 |
| 415 | 2H,2H,3H,3H-Perfluorooctanoate* | 1799325-94-2 | 0.01 |
| 416 | Mono[2-(perfluorohexyl)ethyl] phosphate | 57678-01-0 | 0.01 |
| 417 | Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate* | 2353-52-8 | 0.01 |
| 418 | 2-(Perfluorohexyl)ethanol dihydrogen phosphate bis(2-hydroxyethyl)amine* | 57678-02-1 | 0.01 |
| 419 | 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt* | 92401-44-0 | 0.01 |
| 420 | Sodium 1H,1H,2H,2H-perfluorooctylphosphate* | 144965-22-0 | 0.01 |
| 421 | Monopotassium monoperfluorohexyl ethylphosphate* | 150033-28-6 | 0.01 |
| 422 | Diammonium 6:2 fluorotelomer phosphate monoester* | 1000852-37-8 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 423 | Bis[2-(perfluorohexyl)ethyl]phosphate | 57677-95-9 | 0.01 |
| 424 | Ammonium bis[2-(perfluorohexyl)ethyl] phosphate* | 1764-95-0 | 0.01 |
| 425 | Sodium bis[2-(perfluorohexyl)ethyl] phosphate* | 407582-79-0 | 0.01 |
| 426 | Bis(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphate ion(1-)* | 667465-18-1 | 0.01 |
| 427 | Perfluorooctylphosphonic acid | 40143-78-0 | 0.01 |
| 428 | (Heptadecafluorooctyl)phosphonic acid--4-methylaniline (1/1)* | 1263361-03-0 | 0.01 |
| 429 | 4,8-Dioxa-3H-perfluorononanoic acid (DONA) | 919005-14-4 | 0.01 |
| 430 | Ammonium 4,8-dioxa-3H-perfluorononanoate* | 958445-44-8 | 0.01 |
| 431 | Potassium 2,2,3-trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate* | 1087271-46-2 | 0.01 |
| 432 | 2,2,3-Trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate* | 2127366-90-7 | 0.01 |
| 433 | Sodium 4,8-dioxa-3H-perfluorononanoate* | 2250081-67-3 | 0.01 |
| 434 | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS) | 756426-58-1 | 0.01 |
| 435 | Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate* | 73606-19-6 | 0.01 |
| 436 | Ammonium perfluoro-2-[(6-chlorohexyl)oxy]ethane-1-sulfonate* | 1383434-28-3 | 0.01 |
| 437 | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS) | 763051-92-9 | 0.01 |
| 438 | Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate* | 83329-89-9 | 0.01 |
| 439 | 2H,2H-Perfluorooctanoic acid (6:2 FTCA) | 53826-12-3 | 0.01 |
| 440 | 2H-Perfluoro-2-dodecenoic acid (10:2 FTUCA) | 70887-94-4 | 0.01 |
| 441 | 2H-Perfluoro-2-decenoic acid (8:2 FTUCA) | 70887-84-2 | 0.01 |
| 442 | Perfluoropentanesulfonic acid (PFPeS) | 2706-91-4 | 0.01 |
| 443 | Potassium perfluoropentanesulfonate* | 3872-25-1 | 0.01 |
| 444 | Ammonium perfluoropentanesulfonate* | 68259-09-6 | 0.01 |
| 445 | Bis(2-hydroxyethyl)ammonium perfluoropentanesulfonate* | 70225-17-1 | 0.01 |
| 446 | Triethylammonium perfluoropentane sulfonate* | 72033-42-2 | 0.01 |
| 447 | Perfluoropentane sulfonic anhydride* | 161877-72-1 | 0.01 |
| 448 | Perfluoropentanesulfonate* | 175905-36-9 | 0.01 |
| 449 | Sodium perfluoropentanesulfonate* | 630402-22-1 | 0.01 |
| 450 | Lithium perfluoropentane sulfonate* | 1046864-81-6 | 0.01 |
| 451 | Perfluoropentadecanoic acid (PFPeDA) | 141074-63-7 | 0.01 |
| 452 | Nonacosafuoropentadecanoate* | 1214264-29-5 | 0.01 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|--|----------------|--------------------------------|
| 453 | Perfluoro-1-tridecanesulfonic acid (PFTrDS) | 791563-89-8 | 0.01 |
| 454 | Sodium Perfluorotridecanesulfonate* | 174675-49-1 | 0.01 |
| 455 | Perfluorohexane sulfonamide (PFHxSA) | 41997-13-1 | 0.01 |
| 456 | N-Ethyl-Perfluorohexanesulfamoylethanol (N-Et-FHxSE) | 34455-03-3 | 0.01 |
| 457 | N-Methyl-Perfluorohexanesulfamide (N-Me-FHxSA) | 68259-15-4 | 0.01 |
| 458 | N-Methyl-Perfluorohexanesulfamoylethanol (N-Me-FHxSE) | 68555-75-9 | 0.01 |
| 459 | Perfluoroundecane sulfonic acid(PFUnDS) | 749786-16-1 | 0.01 |
| 460 | Perfluoro-3-methoxypropanoic acid(PFMPA) | 377-73-1 | 0.01 |
| 461 | Perfluoro-4-methoxybutanoic acid(PFMBA) | 863090-89-5 | 0.01 |
| 462 | Nonafluoro-3,6-dioxaheptanoic acid(NFDHA) | 151772-58-6 | 0.01 |
| 463 | Perfluoro(2-ethoxyethane)sulfonic acid(PFEESA) | 113507-82-7 | 0.01 |
| 464 | 3-Perfluoroheptyl propanoic acid(7:3 FTCA) | 812-70-4 | 0.01 |
| 465 | 10:2 Fluortelomerphosphatemonoester (10:2 monoPAP) | 57678-05-4 | 0.1 |
| 466 | 10:2 Fluortelomer diammonium dihydrogen phosphate* | 93857-45-5 | 0.1 |
| 467 | 10:2 Fluortelomerphosphatediester (10:2 diPAP) | 1895-26-7 | 0.1 |
| 468 | Bis((perfluorodecyl)ethyl) hydrogen phosphate 2,2'-iminodiethanol* | 57677-98-2 | 0.1 |
| 469 | Ammonium bis((perfluorodecyl)ethyl) phosphate* | 93776-21-7 | 0.1 |
| 470 | Pentafluoropropionic acid (PFPrA) | 422-64-0 | 0.1 |
| 471 | Potassium perfluoropropanoate* | 378-76-7 | 0.1 |
| 472 | Sodium perfluoropropanoate* | 378-77-8 | 0.1 |
| 473 | Silver pentafluoropropionate* | 509-09-1 | 0.1 |
| 474 | Ammonium pentafluoropropionate* | 2730-58-7 | 0.1 |
| 475 | Pentafluoropropanoic acid--1-phenylpiperazine (1/1)* | 893-87-8 | 0.1 |
| 476 | Pentafluoropropanoic acid--piperazine (1/1)* | 1690-94-4 | 0.1 |
| 477 | Perfluoropropanoate* | 44864-55-3 | 0.1 |
| 478 | Imidazole perfluoropropionic acid salt* | 200705-90-4 | 0.1 |
| 479 | Mono[2-(perfluorooctyl)ethyl]phosphate (8:2 MonoPAP) | 57678-03-2 | 0.1 |
| 480 | 8:2 Fluortelomer diammonium phosphate* | 93857-44-4 | 0.1 |
| 481 | Sodium 1H,1H,2H,2H-perfluorodecylphosphate* | 130771-95-8 | 0.1 |
| 482 | Disodium 1H,1H,2H,2H-perfluorodecylphosphate* | 438237-75-3 | 0.1 |
| 483 | 1H,1H,2H,2H-Perfluorooctylacrylate (6:2 FTA) | 17527-29-6 | 0.1 |
| 484 | 1H,1H,2H,2H-Perfluorodecylacrylate (8:2 FTA) | 27905-45-9 | 0.1 |

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

Test Conducted:

| | <u>Substances</u> | <u>CAS No.</u> | <u>Detection Limit (mg/kg)</u> |
|-----|---|----------------|--------------------------------|
| 485 | 1H,1H,2H,2H-Perfluorododecylacrylate (10:2 FTA) | 17741-60-5 | 0.1 |
| 486 | 1H,1H,2H,2H-Perfluoro-1-hexanol (4:2 FTOH) | 2043-47-2 | 0.1 |
| 487 | 1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH) | 647-42-7 | 0.1 |
| 488 | 1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) | 678-39-7 | 0.1 |
| 489 | 1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2 FTOH) | 865-86-1 | 0.1 |
| 490 | 1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMA) | 2144-53-8 | 0.1 |
| 491 | 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) | 1996-88-9 | 0.1 |
| 492 | Methyl perfluorooctanoate (Me-PFOA) | 376-27-2 | 0.1 |
| 493 | Ethyl perfluorooctanoate (Et-PFOA) | 3108-24-5 | 0.1 |
| 494 | 1-Iodoperfluorooctane (PFOI) | 507-63-1 | 0.1 |
| 495 | 1-Iodo-1H,1H,2H,2H-perfluorodecane (8:2 FTI) | 2043-53-0 | 0.1 |
| 496 | 1H,1H,2H,2H-Perfluorodecyltriethoxysilane (PFSI) | 101947-16-4 | 0.1 |
| 497 | 1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N-methylbutane-1-sulphonamide | 34454-97-2 | 0.1 |
| 498 | 1H,1H,2H,2H-Perfluorohexyl methacrylate (4:2 FTMA) | 1799-84-4 | 0.1 |
| 499 | 1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA) | 2144-54-9 | 0.1 |
| 500 | 1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI) | 2043-54-1 | 0.1 |
| 501 | 1H,1H,2H,2H-Perfluorotetradecanol (12:2 FTOH) | 39239-77-5 | 0.1 |
| 502 | 1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI) | 30046-31-2 | 0.1 |
| 503 | Perfluorodecyl iodide (PFDI) | 423-62-1 | 0.1 |
| 504 | Perfluorododecyl iodide (PFDdI) | 307-60-8 | 0.1 |
| 505 | 1H,1H-Pentadecafluorooctylacrylate (7:1 FTA) | 307-98-2 | 0.1 |
| 506 | 1H,1H-Perfluoro-1-octanol (7:1 FTOH) | 307-30-2 | 0.1 |
| 507 | 1H,1H-Perfluorooctylamine | 307-29-9 | 0.1 |
| 508 | 1H,1H,2H-Perfluoro-1-decene (8:2 FTO) | 21652-58-4 | 0.1 |
| 509 | 3-Perfluoropropyl propanoic acid(3:3 FTCA) | 356-02-5 | 0.1 |

* = The test result is based on the corresponding PFAS anions.

Tested component(s):

(1) FOOPAK HARSDIZE BOARD

This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com



Test Report

Report Number: JKTH25000421

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>



This report shall not be reproduced wholly or in parts without written approval of the laboratory

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our General Term and Conditions.

For the complete term and condition, please visit : <http://www.intertek.com/terms/>

PT. Intertek Utama Services

Citrabuana Indoloka Building
Jl. Cikini IV No.2, Gondangdia
Jakarta 10330, Indonesia

Telp. (62-21) 391 8584 (Hunting), 391 8574 (Direct), Fax. (62-21) 391 8345
Hardline Laboratory: Jakarta (62-21) 391 6611, Semarang (62-24) 762 7107 / 762 7325
Email : hlcoordinator.indonesia@intertek.com Website: www.intertek.com